

Static Insertion of Safe and Effective Memory Reuse Commands into ML-like Programs¹

Oukseh Lee^{a,*}, Hongseok Yang^b, Kwangkeun Yi^b

^a*Department of Computer Science & Engineering,
Hanyang University, Ansan Gyeonggi 426-791, Korea*

^b*School of Computer Science & Engineering,
Seoul National University, Sillim-9-dong Gwanak-gu, Seoul 151-742, Korea*

Received 23 October 2003; revised 31 August 2004; accepted 17 February 2005

Abstract

We present a static analysis that estimates reusable memory cells and a source-level transformation that adds explicit memory-reuse commands into the program text. For benchmark ML programs, our analysis and transformation system achieves the memory reuse ratio from 5.2% to 91.3% and reduces the memory peak from 0.0% to 71.9%. The small-ratio cases are for programs that have a number of data structures that are shared. For other cases, our experimental results are encouraging in terms of accuracy and cost. Major features of our analysis and transformation are: (1) poly-variant analysis of functions by parameterization for the argument heap cells; (2) use of multiset formulas in expressing the sharings and partitionings of heap cells; (3) deallocations conditioned by dynamic flags that are passed as extra arguments to functions; (4) individual heap cell as the granularity of explicit memory-free. Our analysis and transformation system is fully automatic.

Key words: Program Analysis, Program Transformation, Type System, Compile-Time Garbage Collection

* Corresponding author.

Email addresses: oukseh@hanyang.ac.kr (Oukseh Lee), hyang@ropas.snu.ac.kr (Hongseok Yang), kwang@cse.snu.ac.kr (Kwangkeun Yi).

¹ Lee and Yi were supported by the Brain Korea 21 (2003-2004) of Korean Ministry of Education and Human Resource Development, Lee was also supported by the research fund of Hanyang University (HY-2004-G), and Yang was supported by R08-2003-000-10370-0 from the Basic Research Program of the Korea Science and Engineering Foundation.

1 Overview

Our goal is to automatically insert explicit memory-reuse commands into ML-like programs so that they do not blindly request memory when constructing data. We present a static analysis and a source-level transformation system that automatically adds explicit memory-reuse commands into the program text. The explicit memory-reuse is accomplished by inserting explicit memory-free commands right before data-construction expressions. Because the unit of both memory-free and allocation is an individual cell, such memory-free and allocation sequences can be implemented as memory reuses.²

Example 1 Function call “`insert i l`” returns a new list where integer `i` is inserted into its position in the sorted list `l`.

```
fun insert i l =  
  case l of [] => i::[] (1)  
          | h::t => if i<h then i::l (2)  
                  else h::(insert i t) (3)
```

Let’s assume that the argument list `l` is not used after a call to `insert`. If we program in C, we can destructively add one node for `i` into `l` so that the `insert` procedure should consume only one cons-cell. Meanwhile, the ML program’s line (3) will allocate as many new cons-cells as that of the recursive calls. Knowing that list `l` is not used anymore, we can reuse the cons-cells from `l`:

```
fun insert i l =  
  case l of [] => i::[]  
          | h::t => if i<h then i::l  
                  else let z = insert i t  
                        in (free l; h::z) (4)
```

In line (4), “`free l`” will deallocate the single cons-cell pointed to by `l`. The very next expression’s data construction “`::`” will reuse the freed cons-cell. \square

1.1 Related Works

The type systems [1–3] based on linear logic fail to achieve Example 1 case because variable `l` is used twice. Kobayashi [4], and Aspinall and Hofmann [5] overcome this shortcoming by using more fine-grained usage aspects, but their

² This approach’s drawback might be that the memory reuse “bandwidth” is limited by the data-construction expressions in the program text. But our experimental results show that such a drawback is imaginary.

systems still reject Example 1 because variable `l` and `t` are aliased at line (2)–(3). They cannot properly handle aliasing: for “`let x=y in e`” where `y` points to a list, this list cannot in general be reused at `e` in their systems. Moreover, Aspinall and Hofmann did not consider an automatic transformation for reuse. Kobayashi provides an automatic transformation, but he requires the memory system to manage a reference counter for every heap cell.

Deductive systems like separation logic [6–8] and the alias-type system [9,10] are powerful enough to reason about shared mutable data structures, but they cannot be used for our goal; they are not automatic. They need the programmer’s help about memory invariants for loops or recursive functions.

The region-based memory managements [11–15] use a fixed partitioning strategy for recursive data structures, which is either implied by the programmer’s region declarations or hard-wired inside the region-inference engine [16,17]. Since every heap cell in a single region has the same lifetime, this “pre-determined” partitioning can be too coarse; for example, transformations like the one in Example 1 are impossible.

Blanchet’s escape analysis [18] and ours are both relational, covering the same class of relations (inclusion and sharing) among memory objects. The difference is the relation’s targets and deallocation’s granularity. His relation is between memory objects linked from program variables and their binding expression’s results. Ours is between memory objects linked from any two program variables. His deallocation is at the end of a `let` or function body. Transformations like the one in Example 1 are impossible in his system. Harrison’s [19] and Mohnen’s [20] escape analyses have similar limitation: the deallocations is at the end of function body.

1.2 Our Solution

The features of our analysis and transformation are:

- Partitioning of heap cells is pivoted by two axes: one by structures (e.g. heads and tails for lists, roots and subtrees for trees, etc.) and the other by set exclusions (e.g. cells A excluding B). This double-axed partitioning is expressive enough to isolate proper reusable cells from others.
- Sharing information among heap cells is maintained, in order to find the disjointness properties between two partitions of heap cells. An analysis result consists of terms called “*multiset formula*.” A multiset formula symbolically manifests an abstract sharing relation between heap cells.
- The parameterized analysis result of a function is instantiated at each function call, in order to finalize the disjointness properties for the function’s input and output. This polyvariant analysis is done without re-analyzing a

function body multiple times.

- Dynamic flags are inserted to functions in order to condition their memory-free commands on their call sites. Dynamic flags are simple boolean expressions.

Our contribution is a cost-effective automatic analysis and transformation for fine-grained memory reuse for recursive/algebraic data structures in ML-like programs. Our experimental results show that for small to large ML benchmark programs the memory reuse ratio ranges from 5.2% to 91.3%. The small-ratio cases expose that our analysis and transformation system is weak for programs that have too prevalent sharings among memory cells. Other than those few cases, our experimental results are encouraging in terms of accuracy and cost: the reuse ratio ranges from 10.6% to 91.3% and the analysis cost ranges from about 400 to 4500 lines per second. The limitation is that we only consider ML-like immutable recursive data and a first-order monomorphic language without memory-free commands.

Section 1.3 intuitively presents the features of our method for an example program. Section 2 defines the core of the target language, which consists of the source language plus explicit memory reuse commands. Section 3 presents the key abstract domain (memory-types) for our analysis. Section 4 shows, for the same example as in Section 1.3, a more detailed explanation on how our analysis and transformation system works. Section 5 proves our analysis and transformation correct. Section 6 shows our experimental results and concludes.

1.3 Exclusion Among Heap Cells and Dynamic Flags

The accuracy of our algorithm depends on how precisely we can separate the two sets of heap cells: cells that are safe to deallocate and others that are not. If the separation is blurred, we find few deallocation opportunities.

For a precise separation of two such groups of heap cells, we have found that the standard partitioning by structures (e.g. heads and tails for lists, roots and subtrees for trees, etc.) is not enough. We need to refine the partitions by the notion of exclusion. Consider a function that builds a tree from an input tree. Let's assume that the input tree is not used after the call. In building the result tree, we want to reuse the nodes of the input tree. However, we cannot free every node of the input if the output tree shares some of its parts with the input tree. In that case, we can free only those nodes of the input that are *not* parts of the output. A concrete example is the following `copyleft` function. Both of its input and output are trees. The output tree's nodes along its leftmost path are separate copies from the input tree and the rest are shared with

the input tree.

```

fun copyleft t =
  case t of
    Leaf          => Leaf
  | Node (t1,t2) => Node (copyleft t1, t2)

```

The `Leaf` and `Node` are the binary tree constructors. `Node` needs a heap cell that contains two fields to store the locations for the left and right subtrees. The opportunity of memory reuse is in the `case`-expression’s second branch. When we construct the node after the recursive call, we can reuse the pattern-matched node of the input tree, but only when the node is *not* included in the output tree. Our analysis maintains such notion of exclusion.

Our transformation inserts `free` commands that are conditioned on dynamic flags passed as extra arguments to functions. These dynamic flags make different call sites to the same function have different deallocation behavior. By our `free`-commands insertion, the above `copyleft` function is transformed to:

```

fun copyleft [ $\beta$ ,  $\beta_{\text{ns}}$ ] t =
  case t of
    Leaf          => Leaf
  | Node (t1,t2) => let p = copyleft [ $\beta \wedge \beta_{\text{ns}}$ ,  $\beta_{\text{ns}}$ ] t1
                    in (free t when  $\beta$ ; Node (p,t2))

```

Flag β is true when the argument `t` to `copyleft` can be freed inside the function. Hence the `free` command is conditioned on it: “`free t when β .`” By the recursive calls, all the nodes along the left-most path of the input will be freed. The analysis with the notion of exclusion informs us that, in order for the `free` to be safe, the nodes must be excluded from the output. They are excluded if they are not reachable from the output. They are not reachable from the output if the input tree has no sharing between its nodes, because some parts (e.g. `t2`) of the input are included in the output. Hence the recursive call’s actual flag for β is $\beta \wedge \beta_{\text{ns}}$, where flag β_{ns} is true when there is no sharing inside the input tree.

2 Language

Fig. 1 shows the syntax and semantics of the source language: a typed call-by-value language with first-order recursive functions, data constructions (memory allocations), de-constructions (case matches), and memory deallocations. All expressions are in the *K*-normal form [16,4]: every non-value expression is bound to a variable by `let`. Each expression’s value is either a tree or a function. A tree is implemented as linked cells in the heap memory. The heap

<i>Type</i> $\tau ::= \text{tree} \mid \text{tree} \rightarrow \text{tree}$	
<i>Boolean Expression</i> $b ::= \beta \mid \text{true} \mid \text{false} \mid b \vee b \mid b \wedge b \mid \neg b$	
<i>Storable Value</i> $a ::= \text{Leaf} \mid l$	
<i>Value</i> $v ::= a \mid x \mid \mathbf{fix} \ x \ [\beta_1, \beta_2] \ \lambda x. e$	
<i>Expression</i> $e ::= v$	value
$\mathbf{Node} \ (v, v)$	allocation
$\mathbf{free} \ v \ \mathbf{when} \ b$	deallocation
$\mathbf{case} \ v \ (\mathbf{Node} \ (x, y) \Rightarrow e_1) \ (\mathbf{Leaf} \Rightarrow e_2)$	match
$v \ [b_1, b_2] \ v$	application
$\mathbf{let} \ x = e \ \mathbf{in} \ e$	binding

OPERATIONAL SEMANTICS

$h \in \text{Heaps} \triangleq \text{Locations} \xrightarrow{\text{fin}} \{(a_1, a_2) \mid a_i \text{ is a storable value}\}$
$f \in \text{FreedLocations} \triangleq \wp(\text{Locations})$
$k \in \text{Continuations} \triangleq \{(x_1, e_1) \dots (x_n, e_n) \mid x_i \text{ is a variable and } e_i \text{ an expression}\}$
$(\mathbf{Node} \ (a_1, a_2), h, f, k) \rightsquigarrow (l, h \cup \{l \mapsto (a_1, a_2)\}, f, k)$ where l does not occur in $(\mathbf{Node} \ (a_1, a_2), h, f, k)$
$(\mathbf{free} \ l \ \mathbf{when} \ b, h, f, k) \rightsquigarrow (\mathbf{Leaf}, h, f \cup \{l\}, k)$ if $b \Leftrightarrow \text{true}$, $l \notin f$, and $l \in \text{dom}(h)$
$(\mathbf{free} \ l \ \mathbf{when} \ b, h, f, k) \rightsquigarrow (\mathbf{Leaf}, h, f, k)$ if $b \not\Leftrightarrow \text{true}$
$(\mathbf{case} \ l \ (\mathbf{Node}(x_1, x_2) \Rightarrow e_1) \ (\mathbf{Leaf} \Rightarrow e_2), h, f, k) \rightsquigarrow (e_1 \{a_1/x_1, a_2/x_2\}, h, f, k)$ where $h(l) = (a_1, a_2)$ and $l \notin f$
$(\mathbf{case} \ \mathbf{Leaf} \ (\mathbf{Node}(x_1, x_2) \Rightarrow e_1) \ (\mathbf{Leaf} \Rightarrow e_2), h, f, k) \rightsquigarrow (e_2, h, f, k)$
$((\mathbf{fix} \ y \ [\beta_1, \beta_2] \ \lambda x. e) \ [b_1, b_2] \ v, h, f, k) \rightsquigarrow$ $(e \{(\mathbf{fix} \ y \ [\beta_1, \beta_2] \ \lambda x. e)/y, b_1/\beta_1, b_2/\beta_2, v/x\}, h, f, k)$
$(\mathbf{let} \ x = e_1 \ \mathbf{in} \ e_2, h, f, k) \rightsquigarrow (e_1, h, f, (x, e_2) \cdot k)$
$(v, h, f, (x, e) \cdot k) \rightsquigarrow (e \{v/x\}, h, f, k)$

Fig. 1. The syntax and the semantics.

consists of binary cells whose fields can store locations or a **Leaf** value. For instance, a tree $\mathbf{Node} \ (\mathbf{Leaf}, \mathbf{Node} \ (\mathbf{Leaf}, \mathbf{Leaf}))$ is implemented in the heap by two binary cells l and l' such that l contains **Leaf** and l' , and l' contains **Leaf** and **Leaf**.

The language has three constructs for the heap: $\mathbf{Node} \ (v_1, v_2)$ allocates a node cell in the heap, and sets its contents by v_1 and v_2 ; a **case**-expression reads the contents of a cell; and **free** v **when** b deallocates a cell v if b holds. A function has two kinds of parameters: one for boolean values and the other for an input tree. The boolean parameters are only used for the guards for **free** commands inside the function.

Throughout the paper, to simplify the presentation, we assume that all functions are closed, and we consider only well-typed programs in the usual mono-

morphic type system, with types being `tree` or `tree→tree`. In our implementation, we handle higher-order functions, and arbitrary algebraic data types, not just binary trees. We explain more on this in Section 6.

The algorithm in this paper takes a program that does not have locations, `free` commands, or boolean expressions for the guards. Our analysis analyzes such programs, then automatically inserts the `free` commands and boolean parameters into the program.

3 Memory-Types: An Abstract Domain for Heap Objects

Our analysis and transformation system use what we call *memory-types* to estimate the heap objects for expressions’ values. Memory-types are defined in terms of multiset formulas.

3.1 Multiset Formula

Multiset formulas are terms that allow us to abstractly reason about disjointness and sharing among heap locations. We call “multiset formulas” because formally speaking, their meanings (concretizations) are multisets of locations, where a shared location occurs multiple times.

The multiset formulas L express sharing configuration inside heap objects by the following grammar:

$$L ::= A \mid R \mid X \mid \pi.\text{root} \mid \pi.\text{left} \mid \pi.\text{right} \mid \emptyset \mid L \dot{\sqcup} L \mid L \dot{\oplus} L \mid L \setminus L$$

Symbols A , R , X and π are just names for multisets of locations. A symbolically denotes the heap cells in the input tree of a function, X the newly allocated heap cells, R the heap cells in the result tree of a function, and π for heap objects whose roots and left/right subtrees are respectively $\pi.\text{root}$, $\pi.\text{left}$, and $\pi.\text{right}$. \emptyset means the empty multiset, and symbol $\dot{\oplus}$ constructs a term for a multiset-union. The “maximum” operator symbol $\dot{\sqcup}$ constructs a term for the join of two multisets: term $L \dot{\sqcup} L'$ means to include two occurrences of a location just if L or L' already means to include two occurrences of the same location. Term $L \setminus L'$ means multiset L excluding the locations included in L' .

Fig. 2 shows the formal meaning of L in terms of abstract multisets: a function from locations to the lattice $\{0, 1, \infty\}$ ordered by $0 \sqsubseteq 1 \sqsubseteq \infty$. Note that we

lattice Occurrences $\triangleq \{0, 1, \infty\}$, ordered by $0 \sqsubseteq 1 \sqsubseteq \infty$
lattice MultiSets \triangleq Locations \rightarrow Occurrences, ordered pointwise

For all η mapping $X, A, R, \pi.\text{root}, \pi.\text{left}$, and $\pi.\text{right}$ to MultiSets,

$$\begin{aligned} \llbracket \emptyset \rrbracket \eta &\triangleq \perp \\ \llbracket V \rrbracket \eta &\triangleq \eta(V) && (V \text{ is } X, A, R, \pi.\text{root}, \pi.\text{left}, \text{ or } \pi.\text{right}) \\ \llbracket L_1 \dot{\cup} L_2 \rrbracket \eta &\triangleq \llbracket L_1 \rrbracket \eta \sqcup \llbracket L_2 \rrbracket \eta \\ \llbracket L_1 \dot{\oplus} L_2 \rrbracket \eta &\triangleq \llbracket L_1 \rrbracket \eta \oplus \llbracket L_2 \rrbracket \eta \\ \llbracket L_1 \setminus L_2 \rrbracket \eta &\triangleq \llbracket L_1 \rrbracket \eta \setminus \llbracket L_2 \rrbracket \eta \end{aligned}$$

where

$$\begin{aligned} \oplus \text{ and } \setminus &: \text{MultiSets} \times \text{MultiSets} \rightarrow \text{MultiSets} \\ S_1 \oplus S_2 &\triangleq \lambda l. \text{ if } S_1(l) = S_2(l) = 1 \text{ then } \infty \text{ else } S_1(l) \sqcup S_2(l) \\ S_1 \setminus S_2 &\triangleq \lambda l. \text{ if } S_2(l) = 0 \text{ then } S_1(l) \text{ else } 0 \end{aligned}$$

REQUIREMENTS ON GOOD ENVIRONMENTS

$\text{goodEnv}(\eta) \triangleq$ for all different names X and X' and all A ,
 $\eta(X)$ is a *set* disjoint from both $\eta(X')$ and $\eta(A)$; and
for all π ,
 $\eta(\pi.\text{root})$ is a *set* disjoint from both $\eta(\pi.\text{left})$ and $\eta(\pi.\text{right})$

SEMANTICS OF MEMORY-TYPES FOR TREES

$$\begin{aligned} \llbracket \langle L, \mu_1, \mu_2 \rangle \rrbracket_{\text{tree}} \eta &\triangleq \{ \langle l, h \rangle \mid h(l) = (a_1, a_2) \wedge \llbracket L \rrbracket \eta l \sqsupseteq 1 \wedge \langle a_i, h \rangle \in \llbracket \mu_i \rrbracket_{\text{tree}} \eta \} \\ \llbracket L \rrbracket_{\text{tree}} \eta &\triangleq \left\{ \langle l, h \rangle \mid \begin{array}{l} l \in \text{dom}(h) \wedge \\ \forall l'. \text{ let } n = \text{number of different paths from } l \text{ to } l' \text{ in } h \\ \text{ in } (n \geq 1 \Rightarrow \llbracket L \rrbracket \eta l' \sqsupseteq 1) \wedge (n \geq 2 \Rightarrow \llbracket L \rrbracket \eta l' = \infty) \end{array} \right\} \\ &\cup \{ \langle \text{Leaf}, h \rangle \mid h \text{ is a heap} \} \end{aligned}$$

Fig. 2. The semantics of multiset formulas and memory-types for trees.

consider only good instantiations η of name X, A , and π in Fig. 2. The pre-order for L is:

$$L_1 \sqsubseteq L_2 \text{ iff } \forall \eta. \text{goodEnv}(\eta) \implies \llbracket L_1 \rrbracket \eta \sqsubseteq \llbracket L_2 \rrbracket \eta.$$

3.2 Memory-Types

Memory-types are in terms of the multiset formulas. We define memory-types μ_τ for value-type τ using multiset formulas:

$$\begin{aligned}\mu_{\text{tree}} & ::= \langle L, \mu_{\text{tree}}, \mu_{\text{tree}} \rangle \mid L \\ \mu_{\text{tree} \rightarrow \text{tree}} & ::= \forall A. A \rightarrow \exists X. (L, L)\end{aligned}$$

A memory-type μ_{tree} for a **tree**-typed value abstracts a set of heap objects. A heap object is a pair $\langle a, h \rangle$ of a storable value a and a heap h that contains all the reachable cells from a . Intuitively, it represents a tree reachable from a in h when a is a location; otherwise, it represents **Leaf**. A memory-type is either in a *structured* or *collapsed* form. A structured memory-type is a triple $\langle L, \mu_1, \mu_2 \rangle$, and its meaning (concretization) is a set of heap objects $\langle l, h \rangle$ such that L , μ_1 , and μ_2 abstract the location l and the left and right subtrees of $\langle l, h \rangle$, respectively. A collapsed memory-type is more abstract than a structured one. It is simply a multiset formula L , and its meaning (concretization) is a set of heap objects $\langle a, h \rangle$ such that L abstracts every reachable location and its sharing in $\langle a, h \rangle$. The formal meaning of memory-types is in Fig. 2.

During our analysis, we switch between a structured memory-type and a collapsed memory-type. We can collapse a structured one by the **collapse** function:

$$\begin{aligned}\text{collapse}(\langle L, \mu_1, \mu_2 \rangle) & \triangleq L \dot{\sqcup} (\text{collapse}(\mu_1) \dot{\oplus} \text{collapse}(\mu_2)) \\ \text{collapse}(\mu) & \triangleq \mu \quad (\text{for collapsed } \mu)\end{aligned}$$

Note that when combining L and $\text{collapse}(\mu_1) \dot{\oplus} \text{collapse}(\mu_2)$, we use $\dot{\sqcup}$ instead of $\dot{\oplus}$: it is because a root cell abstracted by L cannot be in the left or right subtree. We can also reconstruct a structured memory-type from a collapsed one when given splitting name π :

$$\begin{aligned}\text{reconstruct}(L, \pi) & \triangleq (\{\pi \mapsto L\}, \langle \pi.\text{root}, \pi.\text{left}, \pi.\text{right} \rangle) \\ \text{reconstruct}(\mu, \pi) & \triangleq (\emptyset, \mu) \quad (\text{for structured } \mu)\end{aligned}$$

The second component of the result of **reconstruct** is a resulting structured memory-type and the first one is a record that L is a collection of $\pi.\text{root}$, $\pi.\text{left}$, and $\pi.\text{right}$. The pre-order $\sqsubseteq_{\text{tree}}$ for memory-types for trees is:

$$\begin{aligned}L \sqsubseteq_{\text{tree}} L' & \text{ iff } L \sqsubseteq L' \\ \langle L, \mu_1, \mu_2 \rangle \sqsubseteq_{\text{tree}} \langle L', \mu'_1, \mu'_2 \rangle & \text{ iff } L \sqsubseteq L', \mu_1 \sqsubseteq_{\text{tree}} \mu'_1, \text{ and } \mu_2 \sqsubseteq_{\text{tree}} \mu'_2 \\ \langle L, \mu_1, \mu_2 \rangle \sqsubseteq_{\text{tree}} L' & \text{ iff } \text{collapse}(\langle L, \mu_1, \mu_2 \rangle) \sqsubseteq_{\text{tree}} L'\end{aligned}$$

Note that this order is sound with respect to the semantics: if $\mu_1 \sqsubseteq_{\text{tree}} \mu_2$, then $\forall \eta. \text{goodEnv}(\eta) \implies \llbracket \mu_1 \rrbracket_{\text{tree}} \eta \subseteq \llbracket \mu_2 \rrbracket_{\text{tree}} \eta$. The join of two memory-types is done by operator \uplus that returns an upper-bound³ of two memory-types. The operator \uplus is defined using function `collapse`:

$$\begin{aligned} L_1 \uplus L_2 &\triangleq L_1 \dot{\cup} L_2 \\ \langle L, \mu_1, \mu_2 \rangle \uplus \langle L', \mu'_1, \mu'_2 \rangle &\triangleq \langle L \dot{\cup} L', \mu_1 \uplus \mu'_1, \mu_2 \uplus \mu'_2 \rangle \\ L \uplus \langle L', \mu_1, \mu_2 \rangle &\triangleq L \dot{\cup} \text{collapse}(\langle L', \mu_1, \mu_2 \rangle) \end{aligned}$$

For a function type $\text{tree} \rightarrow \text{tree}$, a memory-type describes the behavior of functions. It has the form of $\forall A. A \rightarrow \exists X. (L_1, L_2)$, which intuitively says that when the input tree has the memory type A , the function can only access locations in L_2 and its result must have a memory-type L_1 . Note that the memory-type does not keep track of deallocated locations because the input programs for our analysis are assumed to have no `free` commands. The name A denotes all the heap cells reachable from an argument location, and X denotes all the heap cells newly allocated in a function. Since we assume every function is closed, the memory-type for functions is always closed. The pre-order for memory-types for functions is the pointwise order of its result part L_1 and L_2 .

4 The free-Insertion Algorithm

We explain our analysis and transformation using the `copyleft` example in Section 1.3:

```

fun copyleft t =
  case t of
    Leaf          => Leaf                               (1)
  | Node (t1,t2) => let p = copyleft t1                 (2)
                    in Node (p,t2)                     (3)
  end

```

We first analyze the memory-usage of all expressions in the `copyleft` program; then, using the analysis result, we insert safe `free` commands to the program.

4.1 Step One: The Memory-Usage Analysis

Our memory-usage analysis (shown in Fig. 3) computes memory-types for all expressions in `copyleft`. In particular, it gives the memory-type $\forall A. A \rightarrow$

³ The domain of memory-types for trees is not a lattice: the least upper-bound of two memory-types does not exist in general.

Environment $\Delta \in \{x \mid x \text{ is a variable}\} \xrightarrow{\text{fin}} \{\mu \mid \mu \text{ is a memory-type}\}$
Bound $\mathcal{B} \in \{V \mid V \text{ is } R \text{ or } \pi\} \xrightarrow{\text{fin}} \{L \mid L \text{ is a multiset formula}\}$
Substitution $\mathcal{S} \subseteq \{L/V \mid V \text{ is } X \text{ or } A, \text{ and } L \text{ is a multiset formula}\}$

$\Delta \triangleright e : \mathcal{B}, \mu, L$

Given environment Δ and expression e , we compute e 's memory-type μ and usage L with a bound \mathcal{B} for newly introduced R s and π s.

$$\begin{array}{c}
\frac{\Delta \triangleright v : \mu}{\Delta \triangleright v : \emptyset, \mu, \emptyset} \text{ (U-VALUE)} \quad \frac{\Delta \triangleright v_1 : \mu_1 \quad \Delta \triangleright v_2 : \mu_2 \quad (\text{fresh } X)}{\Delta \triangleright \text{Node}(v_1, v_2) : \emptyset, \langle X, \mu_1, \mu_2 \rangle, \emptyset} \text{ (U-NODE)} \\
\\
\frac{\Delta \triangleright e_1 : \mathcal{B}_1, \mu_1, L_1 \quad \Delta \cup \{x \mapsto \mu_1\} \triangleright e_2 : \mathcal{B}_2, \mu_2, L_2}{\Delta \triangleright \text{let } x = e_1 \text{ in } e_2 : \mathcal{B}_1 \cup \mathcal{B}_2, \mu_2, L_1 \dot{\cup} L_2} \text{ (U-LET)} \\
\\
\frac{\begin{array}{l} (\mathcal{B}, \langle L, \mu'_1, \mu'_2 \rangle) \triangleq \text{reconstruct}(\mu, \pi) \quad (\text{fresh } \pi) \\ \Delta \cup \{x \mapsto \langle L, \mu'_1, \mu'_2 \rangle, x_1 \mapsto \mu'_1, x_2 \mapsto \mu'_2\} \triangleright e_1 : \mathcal{B}_1, \mu_1, L_1 \\ \Delta \cup \{x \mapsto \emptyset\} \triangleright e_2 : \mathcal{B}_2, \mu_2, L_2 \end{array}}{\Delta \cup \{x \mapsto \mu\} \triangleright \text{case } x \text{ (Node}(x_1, x_2) \Rightarrow e_1) \text{ (Leaf } \Rightarrow e_2) : \mathcal{B}_1 \cup \mathcal{B}_2 \cup \mathcal{B}, \mu_1 \uplus \mu_2, L_1 \dot{\cup} L_2 \dot{\cup} L} \text{ (U-CASE)} \\
\\
\frac{\begin{array}{l} \Delta \triangleright v_1 : \forall A. A \rightarrow \exists X. (L_1, L_2) \quad \Delta \triangleright v_2 : \mu_2 \\ \mathcal{S} \triangleq [\text{collapse}(\mu_2)/A][X'/X] \quad (\text{fresh } X', R) \end{array}}{\Delta \triangleright v_1 v_2 : \{R \mapsto \mathcal{S}L_1\}, R, \mathcal{S}L_2} \text{ (U-APP)}
\end{array}$$

$\Delta \triangleright v : \mu$

Given environment Δ and value v , we compute v 's memory-type μ .

$$\begin{array}{c}
\frac{x \in \text{dom}(\Delta)}{\Delta \triangleright x : \Delta(x)} \text{ (U-VAR)} \quad \frac{}{\Delta \triangleright \text{Leaf} : \emptyset} \text{ (U-LEAF)} \\
\\
\frac{\mu_{\text{fix}} \triangleq \text{fix} \left(\lambda \mu. \forall A. A \rightarrow \exists X. (\text{widen}_{\mathcal{B}}(\text{collapse}(\mu')), \text{widen}_{\mathcal{B}}(L)) \right)}{\Delta \triangleright \text{fix } f \lambda x. e : \mu_{\text{fix}}} \text{ (U-FUN)}
\end{array}$$

Fig. 3. Step one: the memory-usage analysis.

$\exists X. (A \dot{\cup} X, A)$ to `copyleft` itself. Intuitively, this memory-type says that when A denotes all the cells in the argument tree \mathfrak{t} , the application “`copyleft` \mathfrak{t} ” may create new cells, named X in the memory-type, and returns a tree consisting of cells in A or X ; but it uses only the cells in A .

This memory-type is obtained by a fixpoint iteration (U-FUN). We start from the least memory-type $\forall A. A \rightarrow \exists X. (\emptyset, \emptyset)$ for a function. Each iteration assumes that the recursive function itself has the memory-type obtained in the previous step, and the argument to the function has the (fixed) memory-type A . Under this assumption, we calculate the memory-type and the used cells for the function body. To guarantee the termination, the resulting memory-type

and the used cells are approximated by “widening” after each iteration.

We focus on the last iteration step. This analysis step proceeds with five parameters A , X_2 , X_3 , X , and R , and with a splitting name π : A denotes the cells in the input tree \mathfrak{t} , X_2 and X_3 the newly allocated cells at lines (2) and (3), respectively, X the set of all the newly allocated cells in `copyleft`, and R the cells in the returned tree from the recursive call “`copyleft t1`” at line (2); the splitting name π is used for partitioning the input tree \mathfrak{t} to its root, left subtree, and right subtree. With these parameters, we analyze the `copyleft` function once more, and its result becomes stable, equal to the previous result $\forall A. A \rightarrow \exists X. (A \dot{\sqcup} X, A)$:

- Line (1) of the example: The `Leaf`-branch is executed only when \mathfrak{t} is `Leaf` whose memory-type is \emptyset . So, we assume that \mathfrak{t} ’s memory-type is \emptyset when analyzing the `Leaf`-branch (U-CASE).

The memory-type for `Leaf` is \emptyset , which says that the result tree of `Leaf`-branch is empty. (U-LEAF and U-VALUE)

- Line (2) of the example: The `Node`-branch is executed only when \mathfrak{t} is a non-empty tree. We exploit this fact to refine the memory-type A of \mathfrak{t} . We partition A into three parts: the root cell named $\pi.\text{root}$, the left subtree named $\pi.\text{left}$, and the right subtree named $\pi.\text{right}$, and record that their collection is A : $\pi.\text{root} \dot{\sqcup} (\pi.\text{left} \dot{\oplus} \pi.\text{right}) = A$. Then $\mathfrak{t1}$ and $\mathfrak{t2}$ have $\pi.\text{left}$ and $\pi.\text{right}$, respectively. (U-CASE)

The next step is to compute a memory-type of the recursive call “`copyleft t1`.” In the previous iteration’s memory-type $\forall A. A \rightarrow \exists X. (A \dot{\sqcup} X, A)$ of `copyleft`, we instantiate A by the memory-type $\pi.\text{left}$ of the argument $\mathfrak{t1}$, and X by the name X_2 for the newly allocated cells at line (2). The instantiated memory-type $\pi.\text{left} \rightarrow (\pi.\text{left} \dot{\sqcup} X_2, \pi.\text{left})$ says that when applied to the left subtree $\mathfrak{t1}$ of \mathfrak{t} , the function returns a tree consisting of new cells or the cells already in the left subtree $\mathfrak{t1}$, but uses only the cells in the left subtree $\mathfrak{t1}$. So, the function call’s result has the memory-type $\pi.\text{left} \dot{\sqcup} X_2$, and uses the cells in $\pi.\text{left}$. However, we use name R for the result of the function call, and record that R is included in $\pi.\text{left} \dot{\sqcup} X_2$. (U-APP)

- Line (3) of the example: While analyzing line (2), we have computed the memory-types of \mathfrak{p} and $\mathfrak{t2}$, that is, R and $\pi.\text{right}$, respectively. Therefore, “`Node (p, t2)`” has the memory-type $\langle X_3, R, \pi.\text{right} \rangle$ where X_3 is a name for the newly allocated root cell at line (3), R for the left subtree, and $\pi.\text{right}$ for the right subtree. (U-NODE)

After analyzing the branches separately, we join the results from the branches (U-CASE). The memory-type for the `Leaf`-branch is \emptyset , and the memory-type for the `Node`-branch is $\langle X_3, R, \pi.\text{right} \rangle$. We join these two memory-types by first collapsing $\langle X_3, R, \pi.\text{right} \rangle$ to get $X_3 \dot{\sqcup} (R \dot{\oplus} \pi.\text{right})$, and then joining the two collapsed memory-types $X_3 \dot{\sqcup} (R \dot{\oplus} \pi.\text{right})$ and \emptyset . So, the function body has the memory-type $X_3 \dot{\sqcup} (R \dot{\oplus} \pi.\text{right})$.

Reduced Form $L_R ::= V \mid V \dot{\oplus} V \mid \emptyset \mid L_R \dot{\sqcup} L_R \quad (V \text{ is } A \text{ or } X)$

$\boxed{\text{widen}_{\mathcal{B}}(L)}$

gives a formula in a reduced form such that the formula only has free names A and X , and is greater than or equal to L when \mathcal{B} holds.

$$\text{widen}_{\mathcal{B}}(L) \triangleq \mathcal{S}(\text{reduce}_{\mathcal{B}}(L)) \quad (\text{w1})$$

$(\mathcal{S} = \{X/X' \mid X' \text{ appears in } \text{reduce}_{\mathcal{B}}(L)\} \text{ for the fixed } X)$

where $\text{reduce}_{\mathcal{B}}(L)$ uses the first available rule in the following:

$$\text{reduce}_{\mathcal{B}}(R) \triangleq \text{reduce}_{\mathcal{B}}(\mathcal{B}(R)) \quad (\text{w2})$$

$$\text{reduce}_{\mathcal{B}}(\pi.o) \triangleq \text{reduce}_{\mathcal{B}}(\mathcal{B}(\pi)) \quad (\text{w3})$$

$$\text{reduce}_{\mathcal{B}}(L_1 \dot{\sqcup} L_2) \triangleq \text{reduce}_{\mathcal{B}}(L_1) \dot{\sqcup} \text{reduce}_{\mathcal{B}}(L_2) \quad (\text{w4})$$

$$\text{reduce}_{\mathcal{B}}(L_1 \dot{\oplus} L_2) \triangleq \text{reduce}_{\mathcal{B}}(L_1) \dot{\sqcup} \text{reduce}_{\mathcal{B}}(L_2) \quad (\text{w5})$$

(if $\text{disjoint}_{\mathcal{B}}(L_1, L_2) \Leftrightarrow \text{true}$ where disjoint is defined in Fig. 6)

$$\text{reduce}_{\mathcal{B}}(R \dot{\oplus} L) \triangleq \text{reduce}_{\mathcal{B}}(\mathcal{B}(R) \dot{\oplus} L) \quad (\text{w6})$$

$$\text{reduce}_{\mathcal{B}}(\pi.o_1 \dot{\oplus} \pi.o_2) \triangleq \begin{cases} \text{reduce}_{\mathcal{B}}(\mathcal{B}(\pi) \dot{\oplus} \mathcal{B}(\pi)), & \text{if } o_1 = o_2 \\ \text{reduce}_{\mathcal{B}}(\mathcal{B}(\pi)), & \text{otherwise} \end{cases} \quad (\text{w7})$$

$$\text{reduce}_{\mathcal{B}}(\pi.o \dot{\oplus} L) \triangleq \text{reduce}_{\mathcal{B}}(\mathcal{B}(\pi) \dot{\oplus} L) \quad (\text{w8})$$

$$\text{reduce}_{\mathcal{B}}((L_1 \dot{\sqcup} L_2) \dot{\oplus} L_3) \triangleq \text{reduce}_{\mathcal{B}}(L_1 \dot{\oplus} L_3) \dot{\sqcup} \text{reduce}_{\mathcal{B}}(L_2 \dot{\oplus} L_3) \quad (\text{w9})$$

$$\text{reduce}_{\mathcal{B}}((L_1 \dot{\oplus} L_2) \dot{\oplus} L_3) \triangleq \text{reduce}_{\mathcal{B}}(L_1 \dot{\oplus} L_2) \dot{\sqcup} \text{reduce}_{\mathcal{B}}(L_2 \dot{\oplus} L_3) \dot{\sqcup} \text{reduce}_{\mathcal{B}}(L_3 \dot{\oplus} L_1) \quad (\text{w10})$$

$$\text{reduce}_{\mathcal{B}}(L) \triangleq L \quad (\text{for all other } L) \quad (\text{w11})$$

Fig. 4. The widening process.

How about the cells used by `copyleft`? In the `Node`-branch of the case-expression, the root cell $\pi.\text{root}$ of the tree \mathbf{t} is pattern-matched, and at the function call in line (2), the left subtree cells $\pi.\text{left}$ are used. Therefore, we conclude that `copyleft` uses the cells in $\pi.\text{root} \dot{\sqcup} \pi.\text{left}$.

The last step of each fixpoint iteration is widening: reducing all the multiset formulas into simpler yet more approximated ones (`U-FUN`). We widen the result memory-type $X_3 \dot{\sqcup} (R \dot{\oplus} \pi.\text{right})$ and the used cells $\pi.\text{root} \dot{\sqcup} \pi.\text{left}$ with the records $\mathcal{B}(R) = \pi.\text{left} \dot{\sqcup} X_2$ and $\mathcal{B}(\pi) = A$. In the following, each widening step is annotated by the rule names of Fig. 4:

$$\begin{aligned} & X_3 \dot{\sqcup} (R \dot{\oplus} \pi.\text{right}) \\ & \sqsubseteq X_3 \dot{\sqcup} ((\pi.\text{left} \dot{\sqcup} X_2) \dot{\oplus} \pi.\text{right}) \quad (\mathcal{B}(R) = \pi.\text{left} \dot{\sqcup} X_2) \quad (\text{w6}) \\ & = X_3 \dot{\sqcup} (\pi.\text{left} \dot{\oplus} \pi.\text{right}) \dot{\sqcup} (X_2 \dot{\oplus} \pi.\text{right}) \quad (\dot{\oplus} \text{ distributes over } \dot{\sqcup}) \quad (\text{w9}) \\ & \sqsubseteq X_3 \dot{\sqcup} A \dot{\sqcup} (X_2 \dot{\oplus} \pi.\text{right}) \quad (\mathcal{B}(\pi) = A \text{ thus } \pi.\text{left} \dot{\oplus} \pi.\text{right} \sqsubseteq A) \quad (\text{w7}) \\ & \sqsubseteq X_3 \dot{\sqcup} A \dot{\sqcup} (X_2 \dot{\oplus} A) \quad (\mathcal{B}(\pi) = A \text{ thus } \pi.\text{right} \sqsubseteq A) \quad (\text{w8}) \\ & = X_3 \dot{\sqcup} A \dot{\sqcup} X_2 \dot{\sqcup} A \quad (A \text{ and } X_2 \text{ are disjoint}) \quad (\text{w5}) \end{aligned}$$

Finally, by replacing all the newly introduced X_i s by a fixed name X (`w1`)

and by removing redundant A and X , we obtain $A \dot{\sqcup} X$. By rules (w4&w3) in Fig. 4, $\pi.\text{root} \dot{\sqcup} \pi.\text{left}$ for the used cells is reduced to A .

The widening step ensures the termination of fixpoint iterations. It produces a memory-type all of whose multiset formulas are in a reduced form and can only have free names A and X . Note that there are only finitely many such multiset formulas that do not have a redundant sub-formula, such as A in $A \dot{\sqcup} A$. Consequently, after the widening step, only finitely many memory-types can be given to a function.

Although information is lost during the widening step, important properties of a function still remain. Suppose that the result of a function is given a multiset formula L after the widening step. If L does not contain the name A for the input tree, the result tree of the function cannot overlap with the input.⁴ The presence of $\dot{\oplus}$ and A in L indicates whether the result tree has a shared sub-part. If neither $\dot{\oplus}$ nor A is present in L , the result tree can not have shared sub-parts, and if A is present but $\dot{\oplus}$ is not, the result tree can have a shared sub-part only when the input has.⁵

4.2 Step Two: **free** Commands Insertion

Using the result from the memory-usage analysis, our transformation algorithm (shown in Fig. 5) inserts **free** commands, and adds boolean parameters β and β_{ns} (called *dynamic flags*) to each function. The dynamic flag β says that a cell in the argument tree can be safely deallocated, and β_{ns} that no sub-parts of the argument tree are shared. We have designed the transformation algorithm based on the following principles:

- (1) We insert **free** commands right before allocations because we intend to deallocate a heap cell only if it can be reused immediately after the deallocation.
- (2) We do not deallocate the cells in the result.

Our algorithm transforms the **copyleft** function as follows:

```

fun copyleft [ $\beta, \beta_{\text{ns}}$ ] t =
  case t of Leaf           => Leaf                               (1)
    | Node (t1,t2) => let p = copyleft [ $\beta \wedge \beta_{\text{ns}}, \beta_{\text{ns}}$ ] t1   (2)
                      in (free t when  $\beta$ ; Node (p,t2))         (3)

```

⁴ This disjointness property of the input and the result is related to the usage aspects 2 and 3 of Aspinall and Hofmann [5].

⁵ This sharing information is reminiscent of the “polymorphic uniqueness” in the Clean system [3].

Preservation Constraints $\mathcal{E} \subseteq \{b \hookrightarrow L \mid b \text{ is a boolean expression}\}$

$\triangleright v_1^{(\Delta, \mu)} \Rightarrow v_2$	takes v_1 annotated with the analysis result (Δ, μ) , and produces free -inserted v_2 .
$\frac{}{\triangleright x \Rightarrow x}$ (I-VAR)	$\frac{}{\triangleright \text{Leaf} \Rightarrow \text{Leaf}}$ (I-LEAF)
$\frac{}{\triangleright \text{fix } f \lambda x. (e^{(\cdot, \mathcal{B}, \cdot)})} \Rightarrow \text{fix } f [\beta, \beta_{\text{ns}}] : \lambda x. e'$ (I-FUN)	$\frac{\mathcal{B}, \{\neg \beta \hookrightarrow A\}, \text{true} \triangleright e \Rightarrow e' : \mathcal{E}}{\triangleright \text{fix } f \lambda x. (e^{(\cdot, \mathcal{B}, \cdot)})} \Rightarrow \text{fix } f [\beta, \beta_{\text{ns}}] : \lambda x. e'$

$\mathcal{B}, \mathcal{E}_1, b \triangleright e_1^{(\Delta, \mathcal{B}', \mu, L)} \Rightarrow e_2 : \mathcal{E}_2$	takes an expression e_1 annotated with the analysis result $(\Delta, \mathcal{B}', \mu, L)$, a bound \mathcal{B} for free names, and b and \mathcal{E}_1 that prohibit certain cells from being freed: b says that the result of e_1 should not be freed, and each $b' \hookrightarrow L'$ in \mathcal{E}_1 says that L' should not be freed when b' holds. The algorithm returns a free -inserted e_2 and \mathcal{E}_2 whose $b' \hookrightarrow L'$ expresses that L' is freed in e_2 when b' holds.
---	---

$\frac{\triangleright v \Rightarrow v'}{\mathcal{B}, \mathcal{C}, b \triangleright v \Rightarrow v' : \emptyset}$ (I-VALUE)
$\frac{\neg \exists x. \Delta(x) = \langle L, \mu_1, \mu_2 \rangle \triangleright v_1 \Rightarrow v'_1 \triangleright v_2 \Rightarrow v'_2}{\mathcal{B}, \mathcal{C}, b \triangleright (\text{Node}(v_1, v_2))^{(\Delta, \cdot, \cdot)} \Rightarrow \text{Node}(v'_1, v'_2) : \emptyset}$ (I-NOF)
$\frac{\exists x. \Delta(x) = \langle L, \mu_1, \mu_2 \rangle \triangleright v_1 \Rightarrow v'_1 \triangleright v_2 \Rightarrow v'_2 \quad \mathcal{E}' \triangleq \mathcal{E} \cup \{b \hookrightarrow \text{collapse}(\mu)\} \quad b' \triangleq \text{freeCond}_{\mathcal{B}, \mathcal{E}'}(L)}{\mathcal{B}, \mathcal{E}, b \triangleright (\text{Node}(v_1, v_2))^{(\Delta, \cdot, \mu, \cdot)} \Rightarrow (\text{free } x \text{ when } b'; \text{Node}(v'_1, v'_2)) : \{b' \hookrightarrow L\}}$ (I-FREE)
$\frac{\mathcal{B}, \mathcal{C}, b \triangleright e_1 \Rightarrow e'_1 : \mathcal{E}_1 \quad \mathcal{B}, \mathcal{C}, b \triangleright e_2 \Rightarrow e'_2 : \mathcal{E}_2}{\mathcal{B}, \mathcal{E}, b \triangleright \text{case } x (\text{Node}(x_1, x_2) \Rightarrow e_1) (\text{Leaf} \Rightarrow e_2) \Rightarrow \text{case } x (\text{Node}(x_1, x_2) \Rightarrow e'_1) (\text{Leaf} \Rightarrow e'_2) : \mathcal{E}_1 \cup \mathcal{E}_2}$ (I-CASE)
$\frac{\mathcal{B}, \mathcal{E} \cup \{\text{true} \hookrightarrow L, b \hookrightarrow \text{collapse}(\mu)\}, \text{false} \triangleright e_1 \Rightarrow e'_1 : \mathcal{E}_1 \quad \mathcal{B}, \mathcal{E} \cup \mathcal{E}_1, b \triangleright e_2 \Rightarrow e'_2 : \mathcal{E}_2}{\mathcal{B}, \mathcal{C}, b \triangleright \text{let } x = e_1 \text{ in } (e_2^{(\cdot, \cdot, \mu, L)}) \Rightarrow \text{let } x = e'_1 \text{ in } e'_2 : \mathcal{E}_1 \cup \mathcal{E}_2}$ (I-LET)
$\frac{\triangleright v \Rightarrow v' \quad L \triangleq \text{collapse}(\mu) \quad b \triangleq \text{freeCond}_{\mathcal{B}, \mathcal{E}}(L \setminus R) \quad b_{\text{ns}} \triangleq \text{noSharing}_{\mathcal{B}}(L)}{\mathcal{B}, \mathcal{E}, b' \triangleright (x (v^{(\Delta, \mu)}))^{(\cdot, \cdot, R, \cdot)} \Rightarrow x [b, b_{\text{ns}}] v' : \{b \hookrightarrow L \setminus R\}}$ (I-APP)

$\text{freeCond}_{\mathcal{B}, \mathcal{E}}(L)$	calculates a safe condition to free L from the bound \mathcal{B} for free names and the constraint \mathcal{E} that says when certain cells should not be freed.
---	--

$$\text{freeCond}_{\mathcal{B}, \mathcal{E}}(L) \triangleq \bigwedge \{ \neg b \vee \text{disjoint}_{\mathcal{B}}(L, L') \mid (b \hookrightarrow L') \in \mathcal{E} \}$$

Fig. 5. Step two: the algorithm to insert **free** commands.

Note that “ $e_1; e_2$ ” is an abbreviation of “let $x = e_1$ in e_2 ” when x does not appear in e_2 .

The algorithm decides to pass $\beta \wedge \beta_{\text{ns}}$ and β_{ns} in the recursive call (2) (rule I-APP). To find the first parameter, we collect constraints about conditions for which heap cells we should not free (\mathcal{E} in I-APP). Then, the candidate heap cells to deallocate must be disjoint with the cells to preserve. We derive such disjointness condition, expressed by a simple boolean expression ($\text{freeCond}_{\mathcal{B}, \mathcal{E}}(L \setminus R)$ in I-APP). A preservation constraint has the conditional form $b \hookrightarrow L$: when b holds, we should not free the cells in multiset L because, for instance, they have already been freed, or will be used later. For the first parameter, we get two constraints “ $\neg\beta \hookrightarrow A$ ” and “ $\text{true} \hookrightarrow X_3 \dot{\sqcup} (R \dot{\oplus} \pi.\text{right})$ ” from the algorithm in Fig. 5 (rules I-FUN and I-LET). The first constraint means that we should not free the cells in the argument tree \mathfrak{t} if β is false, and the second that we should not free the cells in the result tree of the `copyleft` function. Now the candidate heap cells to deallocate inside the recursive call’s body are $\pi.\text{left} \setminus R$ (the heap cells for $\mathfrak{t}1$ excluding those in the result of the recursive call). For each constraint $b \hookrightarrow L$, the algorithm finds a boolean expression which guarantees that L and $\pi.\text{left} \setminus R$ are disjoint if b is true; then, it takes the conjunction of all the found boolean expressions.

- For “ $\neg\beta \hookrightarrow A$,” the algorithm in Fig. 6 returns false for the condition that A and $\pi.\text{left} \setminus R$ are disjoint:

$$\begin{aligned}
& \text{disjoint}_{\mathcal{B}}(A, \pi.\text{left} \setminus R) \\
&= \text{disjoint}_{\mathcal{B}'}(A, \pi.\text{left}) \quad (\text{excluding } R) \quad (\text{D5}) \\
&= \text{disjoint}_{\mathcal{B}'}(A, A) \quad (\pi.\text{root} \dot{\sqcup} (\pi.\text{left} \dot{\oplus} \pi.\text{right}) = A) \quad (\text{D9}) \\
&= \text{false} \quad (A = A) \quad (\text{D10})
\end{aligned}$$

where $\mathcal{B} = \{R \mapsto \pi.\text{left} \dot{\sqcup} X_2, \pi \mapsto A\}$ and $\mathcal{B}' = \{R \mapsto \emptyset, \pi \mapsto A\}$. We take $\neg(\neg\beta) \vee \text{false}$, equivalently, β .

- For “ $\text{true} \hookrightarrow X_3 \dot{\sqcup} (R \dot{\oplus} \pi.\text{right})$,” the algorithm in Fig. 6 finds out that β_{ns} ensures the disjointness requirement:

$$\begin{aligned}
& \text{disjoint}_{\mathcal{B}}(X_3 \dot{\sqcup} (R \dot{\oplus} \pi.\text{right}), \pi.\text{left} \setminus R) \\
&= \text{disjoint}_{\mathcal{B}'}(X_3 \dot{\sqcup} (R \dot{\oplus} \pi.\text{right}), \pi.\text{left}) \quad (\text{D5}) \\
&= \text{disjoint}_{\mathcal{B}'}(X_3, \pi.\text{left}) \wedge \text{disjoint}_{\mathcal{B}'}(R, \pi.\text{left}) \wedge \text{disjoint}_{\mathcal{B}'}(\pi.\text{right}, \pi.\text{left}) \\
&\quad (\text{D7\&D8}) \\
&= \text{disjoint}_{\mathcal{B}'}(X_3, A) \wedge \text{disjoint}_{\mathcal{B}'}(\emptyset, \pi.\text{left}) \wedge \text{noSharing}_{\mathcal{B}'}(A) \quad (\text{D9\&D6\&D4}) \\
&= \text{true} \wedge \text{true} \wedge \beta_{\text{ns}} \quad (\text{D1\&D1\&D11})
\end{aligned}$$

Thus the conjunction $\beta \wedge \beta_{\text{ns}}$ becomes the condition for the recursive call body to free a cell in its argument $\mathfrak{t}1$.

For the second boolean flag in the recursive call (2), we find a boolean expression that ensures no sharing of a sub-part inside the left subtree $\mathfrak{t}1$

$\text{disjoint}_{\mathcal{B}}(L_1, L_2)$

gives a condition that L_1 and L_2 are disjoint under \mathcal{B} .
We apply the first available rule in the followings:

$$\text{disjoint}_{\mathcal{B}}(A, X) \triangleq \text{true}, \text{ and } \text{disjoint}_{\mathcal{B}}(\emptyset, L) \triangleq \text{true} \quad (\text{D1})$$

$$\text{disjoint}_{\mathcal{B}}(X_1, X_2) \triangleq \text{true} \quad (\text{when } X_1 \neq X_2) \quad (\text{D2})$$

$$\text{disjoint}_{\mathcal{B}}(\pi.\text{root}, \pi.o) \triangleq \text{true} \quad (\text{when } o = \text{left or right}) \quad (\text{D3})$$

$$\text{disjoint}_{\mathcal{B}}(\pi.\text{left}, \pi.\text{right}) \triangleq \text{noSharing}_{\mathcal{B}}(\mathcal{B}(\pi)) \quad (\text{D4})$$

$$\text{disjoint}_{\mathcal{B} \cup \{R \rightarrow L\}}(L_1 \setminus R, L_2) \triangleq \text{disjoint}_{\mathcal{B} \cup \{R \rightarrow \emptyset\}}(L_1, L_2) \quad (\text{D5})$$

$$\text{disjoint}_{\mathcal{B}}(R, L) \triangleq \text{disjoint}_{\mathcal{B}}(\mathcal{B}(R), L) \quad (\text{D6})$$

$$\text{disjoint}_{\mathcal{B}}(L_1 \sqcup L_2, L_3) \triangleq \text{disjoint}_{\mathcal{B}}(L_1, L_3) \wedge \text{disjoint}_{\mathcal{B}}(L_2, L_3) \quad (\text{D7})$$

$$\text{disjoint}_{\mathcal{B}}(L_1 \oplus L_2, L_3) \triangleq \text{disjoint}_{\mathcal{B}}(L_1, L_3) \wedge \text{disjoint}_{\mathcal{B}}(L_2, L_3) \quad (\text{D8})$$

$$\text{disjoint}_{\mathcal{B}}(\pi.o, L) \triangleq \text{disjoint}_{\mathcal{B}}(\mathcal{B}(\pi), L) \quad (\text{D9})$$

$$\text{disjoint}_{\mathcal{B}}(L_1, L_2) \triangleq \text{false} \quad (\text{for other } L_1 \text{ and } L_2) \quad (\text{D10})$$

$\text{noSharing}_{\mathcal{B}}(L)$

gives a condition that L is a *set* under \mathcal{B} :

$$\text{noSharing}_{\mathcal{B}}(A) \triangleq \beta_{\text{ns}} \quad (\text{D11})$$

(where β_{ns} is the second dynamic flag of the enclosing function)

$$\text{noSharing}_{\mathcal{B}}(L) \triangleq \text{true} \quad (\text{when } L = X, \pi.\text{root}, \text{ or } \emptyset) \quad (\text{D12})$$

$$\text{noSharing}_{\mathcal{B}}(\pi.o) \triangleq \text{noSharing}_{\mathcal{B}}(\mathcal{B}(\pi)) \quad (\text{when } o = \text{left or right}) \quad (\text{D13})$$

$$\text{noSharing}_{\mathcal{B}}(R) \triangleq \text{noSharing}_{\mathcal{B}}(\mathcal{B}(R)) \quad (\text{D14})$$

$$\text{noSharing}_{\mathcal{B}}(L_1 \sqcup L_2) \triangleq \text{noSharing}_{\mathcal{B}}(L_1) \wedge \text{noSharing}_{\mathcal{B}}(L_2) \quad (\text{D15})$$

$$\text{noSharing}_{\mathcal{B}}(L_1 \oplus L_2) \triangleq \text{noSharing}_{\mathcal{B}}(L_1) \wedge \text{noSharing}_{\mathcal{B}}(L_2) \wedge \text{disjoint}_{\mathcal{B}}(L_1, L_2) \quad (\text{D16})$$

$$\text{noSharing}_{\mathcal{B}}(L \setminus R) \triangleq \text{noSharing}_{\mathcal{B}}(L) \quad (\text{D17})$$

Fig. 6. The algorithm to find a condition for the disjointness.

($\text{noSharing}_{\mathcal{B}}(L)$ in I-APP). We use the memory-type $\pi.\text{left}$ of $\mathbf{t1}$, and find a boolean expression that guarantees no sharing inside the multiset $\pi.\text{left}$; β_{ns} becomes such an expression: $\text{noSharing}_{\mathcal{B}}(\pi.\text{left}) = \text{noSharing}_{\mathcal{B}}(A) = \beta_{\text{ns}}$ (D13 & D11).

The algorithm inserts a **free** command right before “Node($\mathbf{p}, \mathbf{t2}$)” at line (3), which deallocates the root cell of the tree \mathbf{t} (I-FREE). But the **free** command is safe only in certain circumstances: the cell should not already have been freed by the recursive call (2), and the cell is neither freed nor used after the return of the current call. Our algorithm shows that we can meet all these requirements if the dynamic flag β is true; so, the algorithm picks β as a guard for the inserted **free** command. The process to find β is similar to the one for the first parameter of the call (2). We first collect constraints about

$$\begin{aligned}
\eta \models \text{SET}(L) & \quad \text{iff } \llbracket L \rrbracket \eta \sqsubseteq \lambda.1 \\
\eta \models L_1 \# L_2 & \quad \text{iff } (\llbracket L_1 \rrbracket \eta) \sqcap (\llbracket L_2 \rrbracket \eta) = \perp \\
\eta \models L_1 \sqsubseteq_{\text{set}} L_2 & \quad \text{iff } (\llbracket L_1 \rrbracket \eta) \sqcap \lambda.1 \sqsubseteq \llbracket L_2 \rrbracket \eta \\
\eta \models L_1 \sqsubseteq L_2 & \quad \text{iff } \llbracket L_1 \rrbracket \eta \sqsubseteq \llbracket L_2 \rrbracket \eta \\
\eta \models \mathcal{E}_1 \sqsubseteq \mathcal{E}_2 & \quad \text{iff } \eta \models L_1 \sqsubseteq_{\text{set}} L_2 \text{ where } L_i = \dot{\sqcup} \{L \mid (b \hookrightarrow L) \in \mathcal{E}_i, b \not\Leftarrow \text{false}\} \\
\eta \models \text{true} & \quad \text{always} \\
\eta \models b \Rightarrow \mathcal{C} & \quad \text{iff } (b \Leftrightarrow \text{false}) \vee (\eta \models \mathcal{C}) \\
\eta \models \mathcal{C}_1 \wedge \mathcal{C}_2 & \quad \text{iff } (\eta \models \mathcal{C}_1) \wedge (\eta \models \mathcal{C}_2)
\end{aligned}$$

Fig. 7. The semantics of the safety constraints.

conditions for which heap cells we should not free:

- we should not free cells that can be freed before $(\beta \wedge \beta_{\text{ns}} \hookrightarrow \pi.\text{left} \setminus R)$,
- we should not free the input cells when β is false $(\neg\beta \hookrightarrow A)$, and
- we should not free cells that are included in the function's result $(\text{true} \hookrightarrow X_3 \dot{\sqcup} (R \dot{\oplus} \pi.\text{right}))$.

These three constraints are generated by rules I-APP, I-FUN and I-FREE in Fig. 5, respectively. From these constraints, we find a condition that cell $\pi.\text{root}$ to free is disjoint with those cells we should not free. We use the same process as used for finding the first dynamic flag of the call (2). The result is β .

5 Algorithm Correctness

The correctness of our analysis and transformation is proved via a type system for safe memory deallocations. In section 5.1, we introduce a memory-type system, and in section 5.2, we prove that our memory-type system is sound: every well-typed program in the system does not access any deallocated heap cells. Then in section 5.3, we prove that programs resulting from our analysis and transformation are always well-typed in the memory-type system. Since our transformation only inserts `free` commands, a transformed program's computational behavior modulo the memory-free operations remains intact.

5.1 The Memory-Type System

We use a safety constraint in our type system for the memory safety of programs. For instance, consider that a function takes a tree as its input, deallocates all of its right subtree, and then accesses its left subtree. For such a

$$\begin{aligned}
\pi \sqsubseteq L &\triangleq \pi.\text{root} \dot{\sqcup} (\pi.\text{left} \dot{\oplus} \pi.\text{right}) \sqsubseteq L \\
\text{PRECISE}(\langle L, \mu_1, \mu_2 \rangle) &\triangleq \text{SET}(L) \wedge (L \# \text{collapse}(\mu_1)) \wedge (L \# \text{collapse}(\mu_2)) \\
\text{PRECISE}(L) &\triangleq \text{true} \\
\mathcal{E} \# L = L \# \mathcal{E} &\triangleq \bigwedge \{ b \Rightarrow L \# L' \mid (b \hookrightarrow L') \in \mathcal{E} \} \\
\mathcal{E}_1 \# \mathcal{E}_2 &\triangleq \bigwedge \left\{ b_1 \wedge b_2 \Rightarrow L_1 \# L_2 \mid \begin{array}{l} (b_1 \hookrightarrow L_1) \in \mathcal{E}_1, \\ (b_2 \hookrightarrow L_2) \in \mathcal{E}_2 \end{array} \right\} \\
\mathcal{B} &\triangleq \bigwedge \{ V \sqsubseteq \mathcal{B}(V) \mid V \in \text{dom}(\mathcal{B}) \} \\
L \sqsubseteq_{\text{tree}} L' &\triangleq L \sqsubseteq L' \\
\langle L_1, \mu_1, \mu_2 \rangle \sqsubseteq_{\text{tree}} \langle L_2, \mu'_1, \mu'_2 \rangle &\triangleq (L_1 \sqsubseteq L_2) \wedge (\mu_1 \sqsubseteq_{\text{tree}} \mu_2) \wedge (\mu'_1 \sqsubseteq_{\text{tree}} \mu'_2) \\
\langle L, \mu_1, \mu_2 \rangle \sqsubseteq_{\text{tree}} L' &\triangleq \text{collapse}(\langle L, \mu_1, \mu_2 \rangle) \sqsubseteq L' \\
L' \sqsubseteq_{\text{tree}} \langle L, \mu_1, \mu_2 \rangle &\triangleq \text{false} \\
\mu \sqsubseteq_{\text{tree} \rightarrow \text{tree}} \mu' &\triangleq \begin{cases} \text{true, if they are } \alpha\text{-equivalent,} \\ \text{false, otherwise.} \end{cases} \\
\mu \sqsubseteq \mu' &\triangleq \begin{cases} \mu \sqsubseteq_{\text{tree}} \mu', & \text{for memory-types for trees,} \\ \mu \sqsubseteq_{\text{tree} \rightarrow \text{tree}} \mu', & \text{for memory-types for functions.} \end{cases}
\end{aligned}$$

Fig. 8. The syntactic sugars of the safety constraints.

function, our type system deduces that its input tree must have no shared sub-parts between its left and right subtrees. This judgment is expressed by the following safety constraint:

$$\begin{aligned}
p &::= \text{SET}(L) \mid L \# L \mid L \sqsubseteq_{\text{set}} L \mid L \sqsubseteq L \mid \mathcal{E} \sqsubseteq \mathcal{E} \\
\mathcal{C} &::= p \mid b \Rightarrow \mathcal{C} \mid \mathcal{C} \wedge \mathcal{C} \mid \text{true} \mid \text{false}
\end{aligned}$$

The exact semantic definition of \mathcal{C} is in Fig. 7, and the definition of multiset formula L is in section 3.1. Predicate $\text{SET}(L)$ means that a multiset formula L is indeed a set (i.e., a tree in L has no shared sub-part), $L_1 \# L_2$ means that L_1 and L_2 are disjoint, $L_1 \sqsubseteq L_2$ means that multiset L_2 includes multiset L_1 , $L_1 \sqsubseteq_{\text{set}} L_2$ means that if we interpret them as sets, L_1 is a subset of L_2 , i.e., every location in L_1 is also in L_2 , and $\mathcal{E}_1 \sqsubseteq \mathcal{E}_2$ means that \mathcal{E}_2 says more deallocations than \mathcal{E}_1 does. Constraint \mathcal{C} holds if and only if for any substitution \mathcal{S} for the boolean variables,

$$\forall \eta. \text{goodEnv}(\eta) \implies (\eta \models \mathcal{S}\mathcal{C}).$$

Constraint \mathcal{C}_1 is stronger than constraint \mathcal{C}_2 ($\mathcal{C}_1 \Rightarrow \mathcal{C}_2$) if and only if for any substitution \mathcal{S} for the boolean variables,

$$\forall \eta. \text{goodEnv}(\eta) \wedge (\eta \models \mathcal{S}\mathcal{C}_1) \implies (\eta \models \mathcal{S}\mathcal{C}_2).$$

SUBSTITUTION

$$\mathcal{S} \subseteq \{L/V \mid V \text{ is } A, X, R, \pi.\text{root}, \pi.\text{left}, \text{ or } \pi.\text{right}, L \text{ is a multiset formula}\} \cup \{b/\beta \mid \beta \text{ is a boolean variable, } b \text{ is a boolean expression}\}$$

where

$$\text{supp}(\mathcal{S}) = \{V \mid (L/V) \in \mathcal{S}, V \text{ is } A, X, \text{ or } R\} \cup \{\pi \mid (L/\pi.\text{root}), (L/\pi.\text{left}), \text{ or } (L/\pi.\text{right}) \in \mathcal{S}\} \cup \{\beta \mid (b/\beta) \in \mathcal{S}\}$$

APPLYING A SUBSTITUTION

$$\begin{aligned} \mathcal{S}\mu_{\text{tree}} &= \begin{cases} \mathcal{S}L, & \text{if } \mu_{\text{tree}} = L \\ \langle \mathcal{S}L, \mathcal{S}\mu_1, \mathcal{S}\mu_2 \rangle, & \text{if } \mu_{\text{tree}} = \langle L, \mu_1, \mu_2 \rangle \end{cases} \\ \mathcal{S}\mu_{\text{tree} \rightarrow \text{tree}} &= \mu_{\text{tree} \rightarrow \text{tree}} \\ \mathcal{S}\Delta &= \{id \mapsto \mathcal{S}\mu \mid (id \mapsto \mu) \in \Delta\} \\ \mathcal{S}\mathcal{B} &= \begin{cases} \{V \mapsto \mathcal{S}L \mid (V \mapsto L) \in \mathcal{B}\}, & \text{if } \text{supp}(\mathcal{S}) \cap \text{dom}(\mathcal{B}) = \emptyset \\ \mathcal{S}(\wedge_{V \in \text{dom}(\mathcal{B})} V \sqsubseteq \mathcal{B}(V)), & \text{otherwise} \end{cases} \\ \mathcal{S}\mathcal{E} &= \{\mathcal{S}b \hookrightarrow \mathcal{S}L \mid (b \hookrightarrow L) \in \mathcal{E}\} \\ \mathcal{S}\mathcal{C} &= \begin{cases} \text{SET}(\mathcal{S}L), & \text{if } \mathcal{C} = \text{SET}(L) \\ (\mathcal{S}L_1) \text{ op } (\mathcal{S}L_2), & \text{if } \mathcal{C} = L_1 \text{ op } L_2 \text{ where } \text{op} = \#, \sqsubseteq_{\text{set}}, \text{ or } \sqsubseteq \\ \mathcal{S}b \Rightarrow \mathcal{S}\mathcal{C}', & \text{if } \mathcal{C} = b \Rightarrow \mathcal{C}' \\ (\mathcal{S}\mathcal{C}_1) \wedge (\mathcal{S}\mathcal{C}_2), & \text{if } \mathcal{C} = \mathcal{C}_1 \wedge \mathcal{C}_2 \\ \mathcal{C}, & \text{if } \mathcal{C} = \text{true or false} \end{cases} \end{aligned}$$

Fig. 9. Substitution.

In Fig. 8, we define some notations and make clear that the bound \mathcal{B} (a map from names to multiset formula, Fig. 3) and the pre-order relation $\sqsubseteq_{\text{tree}}$ (in page 9) of memory-types for trees are expressed in our constraints.

By using a safety constraint, we define the memory-types for functions as:

$$\mu_{\text{tree} \rightarrow \text{tree}} ::= \lambda\beta.\lambda\beta_{\text{ns}}.\lambda A.\exists\mathcal{V}.(\mathcal{B}, \mu_{\text{tree}}, L, \mathcal{E}) \& \mathcal{C}.$$

A function takes two boolean parameters β and β_{ns} and one tree-typed value named A . When constraint \mathcal{C} is satisfied, the function can access only the heap cells in L , can deallocate only those in \mathcal{E} , and returns a result that has memory-type μ_{tree} . Set \mathcal{V} is the set of new names that appear in the type, and \mathcal{B} imposes conditions on those names. Since we assume that every function is closed, we consider only closed memory-types: every name or boolean variable is either β , β_{ns} , A , or the names in \mathcal{V} .

$$\begin{aligned}
\text{free}(L) &= \begin{cases} \{L\}, & \text{if } L = A, X, \text{ or } R \\ \{\pi\}, & \text{if } L = \pi.\text{root}, \pi.\text{left}, \text{ or } \pi.\text{right} \\ \text{free}(L_1) \cup \text{free}(L_2), & \text{if } L = L_1 \dot{\sqcup} L_2, L_1 \dot{\oplus} L_2, \text{ or } L_1 \dot{\setminus} L_2 \\ \emptyset, & \text{if } L = \emptyset \end{cases} \\
\text{free}(\mu_{\text{tree}}) &= \begin{cases} \text{free}(L), & \text{if } \mu_{\text{tree}} = L \\ \text{free}(L) \cup \text{free}(\mu_1) \cup \text{free}(\mu_2), & \text{if } \mu_{\text{tree}} = \langle L, \mu_1, \mu_2 \rangle \end{cases} \\
\text{free}(\mu_{\text{tree} \rightarrow \text{tree}}) &= \emptyset \\
\text{free}(\Delta) &= \bigcup \{ \text{free}(\mu) \mid (id \mapsto \mu) \in \Delta \} \\
\text{free}(\mathcal{B}) &= \bigcup \{ \text{free}(L) \cup \{V\} \mid (V \mapsto L) \in \mathcal{B} \} \\
\text{free}(\mathcal{E}) &= \bigcup \{ \text{free}(L) \mid (b \hookrightarrow L) \in \mathcal{E} \} \\
\text{free}(\mathcal{C}) &= \begin{cases} \text{free}(L), & \text{if } \mathcal{C} = \text{SET}(L) \\ \text{free}(L_1) \cup \text{free}(L_2), & \text{if } \mathcal{C} = L_1 \text{ op } L_2 \text{ for } \text{op} = \#, \sqsubseteq_{\text{set}}, \text{ or } \sqsubseteq \\ \text{free}(\mathcal{C}'), & \text{if } \mathcal{C} = b \Rightarrow \mathcal{C}' \\ \text{free}(\mathcal{C}_1) \cup \text{free}(\mathcal{C}_2), & \text{if } \mathcal{C} = \mathcal{C}_1 \wedge \mathcal{C}_2 \\ \emptyset, & \text{if } \mathcal{C} = \text{true or false} \end{cases} \\
\text{free}(A_1, \dots, A_n) &= \bigcup_i \text{free}(A_i)
\end{aligned}$$

Fig. 10. Free names.

We have a mapping from the memory-types in the algorithm to those in the memory-type system:

$$\begin{aligned}
\mathcal{T}(\mu_{\text{tree}}) &= \mu_{\text{tree}} \\
\mathcal{T}(\forall A. A \rightarrow \exists X. (L_1, L_2)) &= \lambda\beta. \lambda\beta_{\text{ns}}. \lambda A. \exists \{X, R\}. \\
&\quad \left(\{R \mapsto L_1\}, R, L_2, \left\{ \beta \hookrightarrow A \setminus R, \text{true} \hookrightarrow X \setminus R \right\} \right) \\
&\quad \&(\beta_{\text{ns}} \Rightarrow \text{SET}(A)) \\
\mathcal{T}(\Delta) &= \{x \mapsto \mathcal{T}(\Delta(x)) \mid x \in \text{dom}(\Delta)\}
\end{aligned}$$

Our plan of program transformation is manifest in this translation: (1) we do not deallocate the heap cells in the result ($A \setminus R$ and $X \setminus R$); (2) only when β is true, we deallocate the input tree ($\beta \hookrightarrow A \setminus R$); and (3) β_{ns} should indicate that the input has no shared sub-part ($\beta_{\text{ns}} \Rightarrow \text{SET}(A)$).

The memory-type system is defined in Fig. 11–13. In the definition, we use substitutions and function “free” in Fig. 10 which gives a set of free names in the arguments. Typing judgment “ $\Delta \vdash v : \mu \& \mathcal{C}$ ” for a value v (in Fig. 11) means that for a given memory-type environment Δ , value v has memory-type μ under constraint \mathcal{C} . A Leaf-value has a memory-type equal to or greater than \emptyset (LEAF). An identifier id (a variable or a location) has a memory-type equal to or greater than $\Delta(id)$ (ID). The memory-type of a function value follows the result of its function body (FUN).

Typing judgment “ $\Delta \vdash e : \exists \mathcal{V}. (\mathcal{B}, \mu, L, \mathcal{E}) \& \mathcal{C}$ ” for an expression e (in Fig. 11) means that for a given memory-type environment Δ , if constraint \mathcal{C} is satisfied

$\Delta \vdash v : \mu \& \mathcal{C}$	
$\frac{\mathcal{C} \Rightarrow \emptyset \sqsubseteq \mu}{\Delta \vdash \text{Leaf} : \mu \& \mathcal{C}}$ (LEAF)	$\frac{id = x \text{ or } l \quad id \in \text{dom}(\Delta) \quad \mathcal{C} \Rightarrow \Delta(id) \sqsubseteq \mu}{\Delta \vdash id : \mu \& \mathcal{C}}$ (ID)
$\frac{\mathcal{C} \Rightarrow (\lambda\beta.\lambda\beta_{\text{ns}}.\lambda A.\exists\mathcal{V}.\sigma \& \mathcal{C}) \sqsubseteq \mu \quad \{y \mapsto \mu, x \mapsto A\} \vdash e : \exists\mathcal{V}.\sigma \& \mathcal{C}}{\Delta \vdash \text{fix } y [\beta, \beta_{\text{ns}}] \lambda x.e : \mu \& \mathcal{C}'}$ (FUN)	
$\Delta \vdash e : \exists\mathcal{V}.\sigma \& \mathcal{C}$ where $\sigma = (\mathcal{B}, \mu, L, \mathcal{E})$	Every bound name is fresh: $\mathcal{V} \cap \text{free}(\Delta) = \emptyset$.
$\frac{\Delta \vdash v : \langle L, \mu_1, \mu_2 \rangle \& \mathcal{C}}{\Delta \vdash \text{free } v \text{ when } b : \exists\emptyset. (\emptyset, \emptyset, \emptyset, \{b \leftrightarrow L\}) \& \mathcal{C}}$ (FREE)	$\frac{\Delta \vdash v : \mu \& \mathcal{C}}{\Delta \vdash v : \exists\emptyset. (\emptyset, \mu, \emptyset, \emptyset) \& \mathcal{C}}$ (VALUE)
$\frac{\Delta \vdash v_i : \mu_i \& \mathcal{C}}{\Delta \vdash \text{Node } (v_1, v_2) : \exists\{X\}. (\emptyset, \langle X, \mu_1, \mu_2 \rangle, \emptyset, \emptyset) \& \mathcal{C}}$ (NODE)	$\frac{\Delta \vdash v_1 : (\lambda\beta.\lambda\beta_{\text{ns}}.\lambda A.\exists\mathcal{V}.\sigma \& \mathcal{C}) \& \mathcal{C}' \quad \Delta \vdash v_2 : L \& \mathcal{C}' \quad \text{free}(L) \cap \mathcal{V} = \emptyset}{\mathcal{S} \triangleq \{L/A, b/\beta, b_{\text{ns}}/\beta_{\text{ns}}\}} \quad \Delta \vdash v_1 [b, b_{\text{ns}}] v_2 : \exists\mathcal{V}.\mathcal{S}\sigma \& (\mathcal{S}\mathcal{C} \wedge \mathcal{C}')$ (APP)
$\frac{\Delta \vdash v : \emptyset \& \mathcal{C} \quad \Delta \vdash e_2 : \exists\mathcal{V}.\sigma \& \mathcal{C}}{\Delta \vdash \text{case } v \quad (\text{Node } (x_1, x_2) \Rightarrow e_1) \quad (\text{Leaf} \Rightarrow e_2) : \exists\mathcal{V}.\sigma \& \mathcal{C}}$ (LCASE)	$\frac{\Delta \vdash e_1 : \exists\mathcal{V}_1.\sigma_1 \& \mathcal{C}_1 \quad \text{where } \sigma_1 = (\mathcal{B}, \mu, L, \mathcal{E}) \quad \Delta \cup \{x \mapsto \mu\} \vdash e_2 : \exists\mathcal{V}_2.\sigma_2 \& \mathcal{C}_2 \quad \mathcal{V}_1 \cap \mathcal{V}_2 = \emptyset}{\Delta \vdash \text{let } x = e_1 \text{ in } e_2 : \exists\mathcal{V}_1 \cup \mathcal{V}_2. ((\sigma_1 \& \mathcal{C}_1); (\sigma_2 \& \mathcal{C}_2))}$ (LET)
$\frac{\Delta \vdash v : \langle L', \mu_1, \mu_2 \rangle \& \mathcal{C} \quad \Delta \cup \{x_i \mapsto \mu_i\} \vdash e_1 : \exists\mathcal{V}. (\mathcal{B}, \mu, L, \mathcal{E}) \& \mathcal{C}}{\Delta \vdash \text{case } v \quad (\text{Node } (x_1, x_2) \Rightarrow e_1) (\text{Leaf} \Rightarrow e_2) : \exists\mathcal{V}. (\mathcal{B}, \mu, L \dot{\cup} L', \mathcal{E}) \& \mathcal{C}}$ (NCASE)	

where

$$(\sigma_1 \& \mathcal{C}_1); (\sigma_2 \& \mathcal{C}_2) \triangleq (\mathcal{B}_1 \cup \mathcal{B}_2, \mu_2, L_1 \dot{\cup} L_2, \mathcal{E}_1 \cup \mathcal{E}_2) \& (\mathcal{C}_1 \wedge \mathcal{C}_2 \wedge (\mathcal{E}_1 \# L_2) \wedge (\mathcal{E}_1 \# \mathcal{E}_2))$$

when $\sigma_i = (\mathcal{B}_i, \mu_i, L_i, \mathcal{E}_i)$.

Fig. 11. The memory-type system.

and the heap cells in L and \mathcal{E} are available, program e is safely evaluated to a result of memory-type μ . During the execution, the program may access the heap cells in L and may deallocate those in \mathcal{E} . A set \mathcal{V} of new names is introduced in the derivation and satisfies constraint \mathcal{B} . “free v when b ” has memory-type \emptyset and deallocates v ’s root cell when b is true (FREE). A Node-expression introduces a new name X for its new heap cell, and has a memory-type whose root is X (NODE). For “case v (Node $(x_1, x_2) \Rightarrow e_1$) (Leaf $\Rightarrow e_2$),” when v has memory-type \emptyset which means that v is a Leaf-value, the result of case-expression is the same as that of its Leaf-branch e_2 (LCASE), and when

$\Delta \vdash e : \exists \mathcal{V}. \sigma \& \mathcal{C}$ where $\sigma = (\mathcal{B}, \mu, L, \mathcal{E})$	Every bound name is fresh: $\mathcal{V} \cap \text{free}(\Delta) = \emptyset$.
$\frac{\Delta \vdash e : \exists \mathcal{V}'. \sigma' \& \mathcal{C}' \quad \mathcal{V}' \cap \text{free}(\mathcal{C}, \sigma) \subseteq \mathcal{V} \quad (\exists \mathcal{V}'. \sigma' \& \mathcal{C}') \sqsubseteq (\exists \mathcal{V}. \sigma \& \mathcal{C})}{\Delta \vdash e : \exists \mathcal{V}. \sigma \& \mathcal{C}} \text{ (WEAK)}$	$\frac{\Delta \vdash e : \exists \mathcal{V} \cup \{X_i\}. \mathcal{S}\sigma \& \mathcal{S}\mathcal{C} \quad \mathcal{S} \triangleq \{(\dot{\downarrow}_i X_i)/X\} \quad X_i \notin \text{free}(\sigma, \mathcal{C}) \quad X, X_i \notin \mathcal{V}}{\Delta \vdash e : \exists \mathcal{V} \cup \{X\}. \sigma \& \mathcal{C}} \text{ (MERGE)}$
$\frac{\Delta \vdash e : \exists \mathcal{V}. \mathcal{S}\sigma \& \mathcal{S}\mathcal{C} \quad \pi \notin \mathcal{V} \quad \mu \triangleq \langle L_1, L_2, L_3 \rangle \quad \text{PRECISE}(\mu) \quad \mathcal{S} \triangleq \{L_1/\pi.\text{root}, L_2/\pi.\text{left}, L_3/\pi.\text{right}\}}{\Delta \vdash e : \exists \mathcal{V} \cup \{\pi\}. (\sigma \cup \{\pi \mapsto \text{collapse}(\mu)\}) \& \mathcal{C}} \text{ (\piINT)}$	
$\frac{\Delta \vdash e : \exists \mathcal{V}. \mathcal{S}\sigma \& \mathcal{S}\mathcal{C} \quad \mathcal{S} \triangleq \{L/R\} \quad R \notin \mathcal{V}}{\Delta \vdash e : \exists \mathcal{V} \cup \{R\}. (\sigma \cup \{R \mapsto L\}) \& \mathcal{C}} \text{ (RINT)}$	
$\frac{\Delta \cup \{x \mapsto \langle \pi.\text{root}, \pi.\text{left}, \pi.\text{right} \rangle\} \vdash e : \exists \mathcal{V}. \sigma \& \mathcal{C} \quad \Delta \cup \{x \mapsto \emptyset\} \vdash e : \exists \mathcal{V}. \sigma \& \mathcal{C} \quad \pi \notin \mathcal{V}}{\Delta \cup \{x \mapsto \mu_{\text{tree}}\} \vdash e : \exists \mathcal{V} \cup \{\pi\}. (\sigma \cup \{\pi \mapsto \text{collapse}(\mu_{\text{tree}})\}) \& \mathcal{C}} \text{ (PRUNE)}$	

where

$$\begin{aligned} \sigma_1 \cup \mathcal{B} &\triangleq (\mathcal{B}_1 \cup \mathcal{B}, \mu_1, L_1, \mathcal{E}_1) \\ (\exists \mathcal{V}_1. \sigma_1 \& \mathcal{C}_1) \sqsubseteq (\exists \mathcal{V}_2. \sigma_2 \& \mathcal{C}_2) &\text{ iff} \\ \mathcal{V}_1 \supseteq \mathcal{V}_2, \mathcal{B}_1 \Rightarrow \mathcal{B}_2, \text{ and } \mathcal{B}_1 \wedge \mathcal{C}_2 \Rightarrow \mathcal{C}_1 \wedge (\mu_1 \sqsubseteq \mu_2) \wedge (L_1 \sqsubseteq_{\text{set}} L_2) \wedge (\mathcal{E}_1 \sqsubseteq \mathcal{E}_2) & \end{aligned}$$

when $\sigma_i = (\mathcal{B}_i, \mu_i, L_i, \mathcal{E}_i)$.

Fig. 12. The structural rules of the memory-type system.

v has a structured memory-type which means that v is not a **Leaf**-value, the result of **case**-expression is the same as that of its **Node**-branch e_1 (**NCASE**). A function application has the result of its function body by replacing the formal parameter A , β , and β_{ns} by the actual argument L , b , and b_{ns} , respectively (**APP**). For an expression “**let** $x = e_1$ **in** e_2 ,” its memory-type is that of e_2 , it uses what e_1 or e_2 uses, it deallocates what e_1 or e_2 deallocates, and its constraint is, in addition to those of e_1 and e_2 , that the heap cells freed by e_1 do not overlap with those used or freed by e_2 (**LET**).

The memory-type system has five structural rules in Fig. 12. We can conclude with a greater result (**WEAK**). We can merge several X_i s into one name X (**MERGE**). We can introduce new name π by replacing L_1 , L_2 , and L_3 by $\pi.\text{root}$, $\pi.\text{left}$, and $\pi.\text{right}$, respectively, and recording that the collection of $\pi.\text{root}$, $\pi.\text{left}$, and $\pi.\text{right}$ is equal to or smaller than the collection of L_1 , L_2 , and L_3 (**\piINT**). We can introduce new name R by replacing L by R in the judgment and recording that R is equal to or smaller than L (**RINT**). We can analyze a program by separating two cases of a variable in the environment.

$\Delta \vdash k : \exists \mathcal{V}. \sigma \ \& \ \mathcal{C}$ where $\sigma = (\mathcal{B}, \mu, L, \mathcal{E})$	Every bound name is fresh: $\mathcal{V} \cap \text{free}(\Delta) = \emptyset$.
--	---

$\frac{}{\Delta \cup \{\bullet \mapsto \mu\} \vdash \epsilon : \exists \emptyset. (\emptyset, \emptyset, \emptyset, \emptyset) \ \& \ \mathcal{C}} \text{ (NIL)}$	$\frac{\Delta \cup \{x \mapsto \mu\} \vdash e : \exists \mathcal{V}_1. \sigma_1 \ \& \ \mathcal{C}_1 \text{ where } \sigma_1 = (\mathcal{B}, \mu_1, L, \mathcal{E}) \quad \Delta \cup \{\bullet \mapsto \mu_1\} \vdash k : \exists \mathcal{V}_2. \sigma_2 \ \& \ \mathcal{C}_2 \quad \mathcal{V}_1 \cap \mathcal{V}_2 = \emptyset}{\Delta \cup \{\bullet \mapsto \mu\} \vdash (x, e) \cdot k : \exists \mathcal{V}_1 \cup \mathcal{V}_2. ((\sigma_1 \ \& \ \mathcal{C}_1); (\sigma_2 \ \& \ \mathcal{C}_2))} \text{ (CONT)}$
---	---

$\vdash h : \Delta$	$\frac{\Delta \triangleq \{l_1 \mapsto \langle X_1, \mu_{(1,1)}, \mu_{(1,2)} \rangle, \dots, l_n \mapsto \langle X_n, \mu_{(n,1)}, \mu_{(n,2)} \rangle\} \quad \forall i \neq j. X_i \neq X_j \quad \forall i, j. \mu_{(i,j)} \triangleq \begin{cases} \Delta(l), & \text{when } a_{(i,j)} = l \\ \emptyset, & \text{when } a_{(i,j)} = \text{Leaf} \end{cases}}{\vdash \{l_1 \mapsto (a_{(1,1)}, a_{(1,2)}), \dots, l_n \mapsto (a_{(n,1)}, a_{(n,2)})\} : \Delta} \text{ (HEAP)}$
---------------------	---

$\Delta \vdash f : \mathcal{E}$	$\frac{\forall l_i \in f. \Delta(l_i) = \langle X_i, \mu_i, \mu'_i \rangle}{\Delta \vdash f : \{\text{true} \leftrightarrow X_i \mid l_i \in f\}} \text{ (FREED)}$
---------------------------------	--

$\vdash (e, h, f, k)$	$\frac{\begin{array}{l} \vdash h : \Delta \quad \Delta \vdash f : \mathcal{E}_0 \\ \Delta \vdash e : \exists \mathcal{V}_1. \sigma_1 \ \& \ \mathcal{C}_1 \text{ where } \sigma_1 = (\mathcal{B}_1, \mu_1, L_1, \mathcal{E}_1) \\ \Delta \cup \{\bullet \mapsto \mu_1\} \vdash k : \exists \mathcal{V}_2. \sigma_2 \ \& \ \mathcal{C}_2 \text{ where } \sigma_2 = (\mathcal{B}_2, \mu_2, L_2, \mathcal{E}_2) \\ \mathcal{V}_1 \cap \mathcal{V}_2 = \emptyset \\ \mathcal{B}_1 \wedge \mathcal{B}_2 \Rightarrow \mathcal{C}_1 \wedge \mathcal{C}_2 \wedge \mathcal{C}_{(0,1)} \wedge \mathcal{C}_{(1,2)} \wedge \mathcal{C}_{(0,2)} \text{ where } \mathcal{C}_{(i,j)} = \mathcal{E}_i \# L_j \wedge \mathcal{E}_i \# \mathcal{E}_j \end{array}}{\vdash (e, h, f, k)} \text{ (STATE)}$
-----------------------	---

where $(\sigma_1 \ \& \ \mathcal{C}_1); (\sigma_2 \ \& \ \mathcal{C}_2) \triangleq (\mathcal{B}_1 \cup \mathcal{B}_2, \mu_2, L_1 \dot{\cup} L_2, \mathcal{E}_1 \cup \mathcal{E}_2) \ \& \ (\mathcal{C}_1 \wedge \mathcal{C}_2 \wedge (\mathcal{E}_1 \# L_2) \wedge (\mathcal{E}_1 \# \mathcal{E}_2))$

when $\sigma_i = (\mathcal{B}_i, \mu_i, L_i, \mathcal{E}_i)$.

Fig. 13. The memory-type system for states.

The separation is when the variable has a **Leaf**-value or not. The result is the one that both cases agree (**PRUNE**).

The memory-type system for a state is defined in Fig. 13. A state (e, h, f, k) is well-typed when each component is well-typed, the constraints $(\mathcal{C}_1 \wedge \mathcal{C}_2)$ of expression e and continuation k are satisfied, and it is safe to sequentially evaluate e and k when the heap cells of locations f are freed (**STATE**). Note that the side conditions make sure that the freed heap cells of locations f should be neither used nor freed by e or k ($\mathcal{C}_{(0,1)} \wedge \mathcal{C}_{(0,2)}$) and the heap cells freed by e should be neither used nor freed by k ($\mathcal{C}_{(1,2)}$). In rules (**NIL**) and (**CONT**), we use a special identifier \bullet for the argument of a continuation.

5.2 The Memory-Type System Is Sound

We prove the soundness of the memory-type system by the syntactic approach [21]. The key propositions are, as usual:

- **subject reduction:** if a well-typed state has a transition, the next state is also well-typed (Proposition 1); and
- **progress:** there exists a transition from the well-typed state, or the well-typed state is final (Proposition 2).

In order to achieve the above two key propositions, we need to establish several lemmas:

- we can rename the names in our judgments (Lemma 1);
- we can substitute multiset formulas for free names, or boolean expressions for free boolean variables in our judgments (Lemma 2);
- we can substitute values for program variables in our judgments when their memory-types are the same (Lemma 3); and
- our typing derivation is monotonic (Lemma 4).

Lemma 1 (Fresh Names) *For a memory-type environment Δ , an expression e , a set \mathcal{V} of names, a result σ , and a constraint \mathcal{C} , if $\Delta \vdash e : \exists \mathcal{V}. \sigma \ \& \ \mathcal{C}$, then for a substitution $\mathcal{S} = \{V'/V\}$ with V' being a fresh name of the same kind as V , $\mathcal{S}\Delta \vdash e : \exists \{\mathcal{S}V \mid V \in \mathcal{V}\}. \mathcal{S}\sigma \ \& \ \mathcal{S}\mathcal{C}$.*

Proof. By structural induction on the derivation trees. \square

We can apply a substitution to judgments only when the substitution respects the conditions of good environments. Note that a substitution can violate the good environment conditions; for instance, $\pi.\text{root}$ and $\pi.\text{left}$ are disjoint in a good environment whereas $\mathcal{S}(\pi.\text{root})$ and $\mathcal{S}(\pi.\text{left})$ can overlap each other when $\mathcal{S} = \{X/\pi.\text{root}, X/\pi.\text{left}\}$. The side conditions of substitution (b)–(d) in Lemma 2 is for preserving the conditions of good environments.

Lemma 2 (Type Replacement) *For constraints \mathcal{C}_1 , \mathcal{C}_2 , and \mathcal{C} , a memory-type environment Δ , a value v , an expression e , a memory-type μ , a set \mathcal{V} of names, and a result σ , the followings are true:*

- (1) *if $\mathcal{C}_1 \Rightarrow \mathcal{C}_2$, then $\mathcal{S}\mathcal{C}_1 \Rightarrow \mathcal{S}\mathcal{C}_2$;*
- (2) *if $\Delta \vdash v : \mu \ \& \ \mathcal{C}$, then $\mathcal{S}\Delta \vdash v : \mathcal{S}\mu \ \& \ \mathcal{S}\mathcal{C}$; and*
- (3) *if $\Delta \vdash e : \exists \mathcal{V}. \sigma \ \& \ \mathcal{C}$ holds and $\mathcal{V} \cap \text{free}(\mathcal{S}) = \emptyset$, then $\mathcal{S}\Delta \vdash \mathcal{S}e : \exists \mathcal{V}. \mathcal{S}\sigma \ \& \ \mathcal{S}\mathcal{C}$ holds with the same size of derivation tree; and the same lemma holds for continuation k ,*

when \mathcal{S} is either

- (a) $\{L/R\}$;
- (b) $\{L_1/\pi.\text{root}, L_2/\pi.\text{left}, L_3/\pi.\text{right}\}$ where $\text{PRECISE}(\langle L_1, L_2, L_3 \rangle)$ holds;
- (c) $\{L/X\}$ where L consists of fresh X_i s and $\text{SET}(L)$ holds;
- (d) $\{L/A\}$ where L consists of fresh X_i s and A_i s; or
- (e) $\{b_1/\beta_1, \dots, b_n/\beta_n\}$

Proof. The proof is in [22]. \square

We can replace a variable in judgments by a value when the variable and the value have the same memory-type. The exception is that the memory-type is not *precise*: a memory-type μ is not precise if and only if μ is structured and its root and left/right sub-tree can be overlapped; for instance, $\langle X_1, X_1, X_2 \rangle$ is not precise because the root part X_1 and the left sub-tree X_1 are overlapped. This exception is because we only have a pruning rule PRUNE restricted for a variable: after replacing a variable by a value, since we cannot apply rule PRUNE in the same way, we may not derive the same judgment.

Lemma 3 (Term Replacement) *For a memory-type environment Δ , a variable x , values v and v' , an expression e , memory-types μ and μ' , a constraint \mathcal{C} , a set \mathcal{V} of names, and a result σ , the followings are true:*

- (1) *If $\Delta \cup \{x \mapsto \mu\} \vdash v' : \mu' \ \& \ \mathcal{C}$ and $\Delta \vdash v : \mu \ \& \ \mathcal{C}$, then $\Delta \vdash v' \{v/x\} : \mu' \ \& \ \mathcal{C}$.*
- (2) *If $\Delta \cup \{x \mapsto \mu\} \vdash e : \exists \mathcal{V}. \sigma \ \& \ \mathcal{C}$ and $\Delta \vdash v : \mu \ \& \ \mathcal{C}$, then $\Delta \vdash e \{v/x\} : \exists \mathcal{V}. \sigma \ \& \ \mathcal{C}$ unless v is a tree-typed identifier and $\text{PRECISE}(\mu)$ does not hold.*

Proof. The proof is in [22]. \square

Our typing derivation is monotonic. When a judgment holds with a memory-type environment Δ , by using a stronger one than Δ , we can derive another judgment whose result is stronger than the original one.

Lemma 4 (Monotonicity) *For a memory-type environment Δ , a value v , an expression e , a memory-type μ , a constraint \mathcal{C} , a set \mathcal{V} of names, and a result σ , the followings are true:*

- (1) *If $\Delta \vdash v : \mu \ \& \ \mathcal{C}$ and $\mathcal{C} \Rightarrow \Delta' \sqsubseteq \Delta$, there exists a memory-type μ' such that $\Delta' \vdash v : \mu' \ \& \ \mathcal{C}$ and $\mathcal{C} \Rightarrow \mu' \sqsubseteq \mu$.*
- (2) *If*
 - (a) $\mathcal{C} \Rightarrow \Delta' \sqsubseteq \Delta$,
 - (b) $\Delta \vdash e : \exists \mathcal{V}. \sigma \ \& \ \mathcal{C}$, and
 - (c) $\mathcal{V} \cap \text{free}(\Delta') = \emptyset$,*then there exist a result σ' and a constraint \mathcal{C}' such that $\Delta' \vdash e : \exists \mathcal{V}. \sigma' \ \& \ \mathcal{C}'$ and $(\exists \mathcal{V}. \sigma' \ \& \ \mathcal{C}') \sqsubseteq (\exists \mathcal{V}. \sigma \ \& \ \mathcal{C})$. Moreover, the same lemma holds for continuation k .*

where $\mathcal{C} \Rightarrow \Delta' \sqsubseteq \Delta$ if and only if $\text{dom}(\Delta') \supseteq \text{dom}(\Delta)$ and for all $id \in \text{dom}(\Delta)$, $\mathcal{C} \Rightarrow \Delta'(id) \sqsubseteq \Delta(id)$.

Proof. The proof is in [22]. \square

Proposition 1 (Subject Reduction) *For a state (e, h, f, k) and (e', h', f', k') , if $\vdash (e, h, f, k)$ and $(e, h, f, k) \rightsquigarrow (e', h', f', k')$, we have $\vdash (e', h', f', k')$.*

Proof. For each transition $(e, h, f, k) \rightsquigarrow (e', h', f', k')$ in Fig. 1, we derive $\vdash (e', h', f', k')$ from $\vdash (e, h, f, k)$. By (STATE),

$$\vdash h : \Delta, \tag{1}$$

$$\Delta \vdash f : \mathcal{E}_0, \tag{2}$$

$$\mathcal{V}_1 \cap \mathcal{V}_2 = \emptyset, \tag{3}$$

$$\Delta \vdash e : \exists \mathcal{V}_1. \sigma_1 \& \mathcal{C}_1 \text{ where } \sigma_1 = (\mathcal{B}_1, \mu_1, L_1, \mathcal{E}_1), \tag{4}$$

$$\Delta \cup \{\bullet \mapsto \mu_1\} \vdash k : \exists \mathcal{V}_2. \sigma_2 \& \mathcal{C}_2 \text{ where } \sigma_2 = (\mathcal{B}_2, \mu_2, L_2, \mathcal{E}_2), \text{ and} \tag{5}$$

$$(\mathcal{B}_1 \wedge \mathcal{B}_2) \Rightarrow \mathcal{C}_1 \wedge \mathcal{C}_2 \wedge \mathcal{C}_{(0,1)} \wedge \mathcal{C}_{(1,2)} \wedge \mathcal{C}_{(0,2)} \tag{6}$$

where $\mathcal{C}_{(i,j)} = \mathcal{E}_i \# L_j \wedge \mathcal{E}_j \# \mathcal{E}_i$. In order to avoid the case that (4) ends with the structural rules (WEAK), (MERGE), (RINT), (π INT), and (PRUNE), we first prove that there is another derivation tree for $\vdash (e, h, f, k)$ where (4) does not end with the structural rules. We prove it by induction on the size of the derivation tree of (4):

- **case (WEAK):** : The assumption is that (4) is derived by (WEAK); that is, there exist \mathcal{V}'_1 , \mathcal{C}'_1 , and σ'_1 such that

$$\Delta \vdash e : \exists \mathcal{V}'_1. (\mathcal{B}'_1, \mu'_1, L'_1, \mathcal{E}'_1) \& \mathcal{C}'_1, \tag{7}$$

$$\mathcal{V}'_1 \cap \text{free}(\sigma_1, \mathcal{C}_1) \subseteq \mathcal{V}_1, \tag{8}$$

$$\mathcal{V}_1 \subseteq \mathcal{V}'_1, \tag{9}$$

$$\mathcal{B}'_1 \Rightarrow \mathcal{B}_1, \text{ and} \tag{10}$$

$$\mathcal{B}'_1 \wedge \mathcal{C}_1 \Rightarrow \mathcal{C}'_1 \wedge (\mu'_1 \sqsubseteq \mu_1) \wedge (L'_1 \sqsubseteq_{\text{set}} L_1) \wedge (\mathcal{E}'_1 \sqsubseteq \mathcal{E}_1). \tag{11}$$

We can assume that $\mathcal{V}'_1 \setminus \mathcal{V}_1$ are fresh by Lemma 1 and (8). Then (3) and (9) imply that

$$\mathcal{V}'_1 \cap \mathcal{V}_2 = \emptyset. \tag{12}$$

(5) implies that

$$\Delta \cup \{\bullet \mapsto \mu_1\} \vdash k : \exists \mathcal{V}_2. \sigma_2 \& (\mathcal{C}_2 \wedge \mathcal{B}'_1 \wedge \mathcal{B}_2). \tag{13}$$

because

- when $k = \epsilon$, $\Delta \cup \{\bullet \mapsto \mu_1\} \vdash \epsilon : \exists \emptyset. (\emptyset, \emptyset, \emptyset, \emptyset) \& \mathcal{C}$ for any \mathcal{C} , and

• when $k = (x, e) \cdot k'$, (5) has sub-judgment $\Delta \cup \{x \mapsto \mu_1\} \vdash e : \exists \mathcal{V}. \sigma \ \& \ \mathcal{C}$ for some \mathcal{V} , σ and \mathcal{C} . By (WEAK), $\Delta \cup \{x \mapsto \mu_1\} \vdash e : \exists \mathcal{V}. \sigma \ \& \ (\mathcal{C} \wedge \mathcal{B}'_1 \wedge \mathcal{B}_2)$. Then by (CONT), we achieve (13).

(6), (10) and (11) implies that $\mathcal{B}'_1 \wedge \mathcal{B}_2 \Rightarrow \mu'_1 \sqsubseteq \mu_1$. Then $\mathcal{B}'_1 \wedge \mathcal{B}_2 \wedge \mathcal{C}_2 \Rightarrow \Delta \cup \{\bullet \mapsto \mu'_1\} \sqsubseteq \Delta \cup \{\bullet \mapsto \mu_1\}$. (12) implies that $\text{free}(\mu'_1) \cap \mathcal{V}_2 = \emptyset$ because $\text{free}(\mu'_1) \subseteq \mathcal{V}'_1$. Then by Lemma 4, (13) implies that there exist \mathcal{B}'_2 , μ'_2 , L'_2 , \mathcal{E}'_2 , and \mathcal{C}'_2 such that

$$\Delta \cup \{\bullet \mapsto \mu'_1\} \vdash k : \exists \mathcal{V}_2. (\mathcal{B}'_2, \mu'_2, L'_2, \mathcal{E}'_2) \ \& \ \mathcal{C}'_2, \quad (14)$$

$$\mathcal{B}'_2 \Rightarrow \mathcal{B}_2, \text{ and} \quad (15)$$

$$\mathcal{B}'_1 \wedge \mathcal{B}_2 \wedge \mathcal{C}_2 \Rightarrow \mathcal{C}'_2 \wedge (\mu'_2 \sqsubseteq \mu_2) \wedge (L'_2 \sqsubseteq_{\text{set}} L_2) \wedge (\mathcal{E}'_2 \sqsubseteq \mathcal{E}_2). \quad (16)$$

(6), (10), and (15) imply that

$$\mathcal{B}'_1 \wedge \mathcal{B}'_2 \Rightarrow \mathcal{B}_1 \wedge \mathcal{B}_2 \wedge \mathcal{C}_1 \wedge \mathcal{C}_2. \quad (17)$$

(11), (16), and (17) imply that

$$\begin{aligned} \mathcal{B}'_1 \wedge \mathcal{B}'_2 \Rightarrow \\ \mathcal{C}'_1 \wedge \mathcal{C}'_2 \wedge (L'_1 \sqsubseteq_{\text{set}} L_1) \wedge (\mathcal{E}'_1 \sqsubseteq \mathcal{E}_1) \wedge (L'_2 \sqsubseteq_{\text{set}} L_2) \wedge (\mathcal{E}'_2 \sqsubseteq \mathcal{E}_2). \end{aligned} \quad (18)$$

(6) and (17) imply that

$$\mathcal{B}'_1 \wedge \mathcal{B}'_2 \Rightarrow \mathcal{E}_0 \# L_1 \wedge \mathcal{E}_0 \# \mathcal{E}_1 \wedge \mathcal{E}_0 \# L_2 \wedge \mathcal{E}_0 \# \mathcal{E}_2 \wedge \mathcal{E}_1 \# L_2 \wedge \mathcal{E}_1 \# \mathcal{E}_2. \quad (19)$$

(18) and (19) imply that

$$\mathcal{B}'_1 \wedge \mathcal{B}'_2 \Rightarrow \mathcal{E}_0 \# L'_1 \wedge \mathcal{E}_0 \# \mathcal{E}'_1 \wedge \mathcal{E}_0 \# L'_2 \wedge \mathcal{E}_0 \# \mathcal{E}'_2 \wedge \mathcal{E}'_1 \# L'_2 \wedge \mathcal{E}'_1 \# \mathcal{E}'_2. \quad (20)$$

By (STATE), (1), (2), (7), (12), (14), (18), and (20) imply that $\vdash (e, h, f, k)$.

- **case (RINT)**: The assumption is that (4) is derived by (RINT); that is, when $\mathcal{S} = \{L/R\}$, $\mathcal{V}_1 = \mathcal{V}'_1 \cup \{R\}$, and $\sigma_1 = \sigma'_1 \cup \{R \mapsto L\}$,

$$\Delta \vdash e : \exists \mathcal{V}'_1. \mathcal{S}\sigma'_1 \ \& \ \mathcal{S}\mathcal{C}_1. \quad (21)$$

By Lemma 2, we can apply \mathcal{S} to (5) and (6):

$$\mathcal{S}\Delta \cup \{\bullet \mapsto \mathcal{S}\mu_1\} \vdash k : \exists \mathcal{V}_2. \mathcal{S}\sigma_2 \ \& \ \mathcal{S}\mathcal{C}_2, \text{ and} \quad (22)$$

$$\mathcal{S}\mathcal{B}_1 \wedge \mathcal{S}\mathcal{B}_2 \Rightarrow \mathcal{S}\mathcal{C}_1 \wedge \mathcal{S}\mathcal{C}_2 \wedge \mathcal{S}\mathcal{C}_{(0,1)} \wedge \mathcal{S}\mathcal{C}_{(1,2)} \wedge \mathcal{S}\mathcal{C}_{(0,2)}. \quad (23)$$

Note that since R does not appear in Δ and \mathcal{E}_0 , $\mathcal{S}\Delta = \Delta$ and $\mathcal{S}\mathcal{E}_0 = \mathcal{E}_0$, that is, $\mathcal{S}\mathcal{C}_{(0,i)} = \mathcal{E}_0 \# \mathcal{S}L_i \wedge \mathcal{E}_0 \# \mathcal{S}\mathcal{E}_i$. Then by (STATE), (1)–(3) and (21)–(23) implies that $\vdash (e, h, f, k)$.

- **case (π INT) and (MERGE)**: These cases are proved similarly to the case (RINT).
- **case (PRUNE)**: (4) cannot be derived by (PRUNE) because $\text{dom}(\Delta)$ has only locations.

We prove by case analysis with the assumption that (4) does not end with the structural rules.

- **case (free l when b, h, f, k)** \rightsquigarrow (Leaf, $h, f \cup \{l\}, k$) when $l \in \text{dom}(h)$, $l \notin f$, and $b \Leftrightarrow \text{true}$: In this case, (4) is

$$\Delta \vdash \text{free } l \text{ when } b : \exists \emptyset. (\emptyset, \emptyset, \emptyset, \{\text{true} \leftrightarrow L\}) \& \mathcal{C}_1.$$

By (FREE), $\Delta \vdash l : \langle L, \mu_1, \mu_2 \rangle \& \mathcal{C}_1$ for some μ_1 and μ_2 . By (HEAP), $\Delta(l) = \langle X, \mu'_1, \mu'_2 \rangle$ for some X , μ'_1 , and μ'_2 , and by (ID), $\mathcal{C}_1 \Rightarrow X \sqsubseteq L$. Since (6) implies that $\emptyset \Rightarrow \mathcal{C}_1$, we have $X \sqsubseteq L$. By (FREED), (2) implies that

$$\Delta \vdash f \cup \{l\} : \mathcal{E}_0 \cup \{\text{true} \leftrightarrow X\}. \quad (24)$$

By (LEAF) and (VALUE),

$$\Delta \vdash \text{Leaf} : \exists \emptyset. (\emptyset, \emptyset, \emptyset, \emptyset) \& \mathcal{C}_1. \quad (25)$$

Since $\mathcal{E}_0 \cup \{\text{true} \leftrightarrow X\} \sqsubseteq \mathcal{E}_0 \cup \mathcal{E}_1$, (6) implies that

$$\mathcal{B}_1 \wedge \mathcal{B}_2 \Rightarrow (\mathcal{E}_0 \cup \{\text{true} \leftrightarrow X\}) \# L_2 \wedge (\mathcal{E}_0 \cup \{\text{true} \leftrightarrow X\}) \# \mathcal{E}_2. \quad (26)$$

Therefore by (STATE), (1), (3), (5), (6), and (24)–(26) imply that

$$\vdash (\text{Leaf}, h, f \cup \{l\}, k).$$

- **case (e, h, f, k)** \rightsquigarrow ($e_1 \{a_1/x_1, a_2/x_2\}, h, f, k$) when $h(l) = (a_1, a_2)$, $l \notin f$, and $e = \text{case } l$ (Node $(x_1, x_2) \Rightarrow e_1$) (Leaf $\Rightarrow e_2$): (4) is

$$\Delta \vdash e : \exists \mathcal{V}_1. (\mathcal{B}_1, \mu_1, L_1, \mathcal{E}_1) \& \mathcal{C}_1. \quad (27)$$

By (HEAP), $\Delta(l) = \langle X, \mu_1, \mu_2 \rangle$ for some X , and precise μ_1 and μ_2 . Since it is impossible to $\mathcal{C} \Rightarrow \Delta(l) \sqsubseteq \emptyset$ for any \mathcal{C} , (27) is derived by (NCASE); that is,

$$\Delta \cup \{x_i \mapsto \mu'_i\} \vdash e_1 : \exists \mathcal{V}_1. (\mathcal{B}_1, \mu_1, L'_1, \mathcal{E}_1) \& \mathcal{C}_1, \text{ and} \quad (28)$$

$$\Delta \vdash l : \langle L, \mu'_1, \mu'_2 \rangle \& \mathcal{C}_1. \quad (29)$$

where $L'_1 \dot{\sqcup} L = L_1$. Since $\Delta(l) = \langle X, \mu_1, \mu_2 \rangle$, by (ID), (29) implies that $\mathcal{C}_1 \Rightarrow \mu_i \sqsubseteq \mu'_i$. By Lemma 4, (28) implies that

$$\Delta \cup \{x_i \mapsto \mu_i\} \vdash e_1 : \exists \mathcal{V}_1. (\mathcal{B}_1, \mu_1, L'_1, \mathcal{E}_1) \& \mathcal{C}_1. \quad (30)$$

By (HEAP), (ID), and (LEAF), $\Delta \vdash a_i : \mu_i \& \mathcal{C}_1$. Then by Lemma 3, (30) implies that $\Delta \vdash e_1 \{a_1/x_1, a_2/x_2\} : \exists \mathcal{V}_1. (\mathcal{B}_1, \mu_1, L'_1, \mathcal{E}_1) \& \mathcal{C}_1$. By (WEAK),

$$\Delta \vdash e_1 \{a_1/x_1, a_2/x_2\} : \exists \mathcal{V}_1. (\mathcal{B}_1, \mu_1, L_1, \mathcal{E}_1) \& \mathcal{C}_1. \quad (31)$$

Then by (STATE), (1)–(3), (5), (6), and (30) imply that

$$\vdash (e_1 \{a_1/x_1, a_2/x_2\}, h, f, k).$$

- **case** $(F [b, b_{\text{ns}}] v, h, f, k) \rightsquigarrow (e \{b/\beta, b_{\text{ns}}/\beta_{\text{ns}}\} \{F/y\} \{v/x\}, h, f, k)$ where $F = \text{fix } y [\beta_1, \beta_2] \lambda x. e$: (4) is

$$\Delta \vdash F [b, b_{\text{ns}}] v : \exists \mathcal{V}. \mathcal{S}\sigma \ \& \ (\mathcal{S}\mathcal{C} \wedge \mathcal{C}').$$

By (APP), when $\mathcal{S} = \{L/A, b/\beta, b_{\text{ns}}/\beta_{\text{ns}}\}$,

$$\Delta \vdash \text{fix } y [\beta_1, \beta_2] \lambda x. e : \mu \ \& \ \mathcal{C}' \text{ where } \mu = \lambda \beta. \lambda \beta_{\text{ns}}. \lambda A. \exists \mathcal{V}. \sigma \ \& \ \mathcal{C}, \quad (32)$$

$$\Delta \vdash v : L \ \& \ \mathcal{C}', \text{ and} \quad (33)$$

$$\text{free}(L) \cap \mathcal{V} = \emptyset. \quad (34)$$

By (FUN), (32) implies that $\{y \mapsto \mu, x \mapsto A\} \vdash e : \exists \mathcal{V}. \sigma \ \& \ \mathcal{C}$. By (34) and Lemma 2, applying \mathcal{S} to the judgment,

$$\{y \mapsto \mu, x \mapsto L\} \vdash e \{b/\beta, b_{\text{ns}}/\beta_{\text{ns}}\} : \exists \mathcal{V}. \mathcal{S}\sigma \ \& \ \mathcal{S}\mathcal{C}.$$

By Lemma 4,

$$\Delta \cup \{y \mapsto \mu, x \mapsto L\} \vdash e \{b/\beta, b_{\text{ns}}/\beta_{\text{ns}}\} : \exists \mathcal{V}. \mathcal{S}\sigma \ \& \ \mathcal{S}\mathcal{C}.$$

By (32), (33), and Lemma 3,

$$\Delta \vdash e \{b_1/\beta_1, b_2/\beta_2\} \{F/y\} \{v/x\} : \exists \mathcal{V}. \mathcal{S}\sigma \ \& \ (\mathcal{S}\mathcal{C} \wedge \mathcal{C}'). \quad (35)$$

By (STATE), (1)–(3), (5), (6), and (35) imply that

$$\vdash (e \{b_1/\beta_1, b_2/\beta_2\} \{F/y\} \{v/x\}, h, f, k).$$

The proofs for other cases are in [22]. \square

Proposition 2 (Progress) *If a state (e, h, f, k) is well-typed (i.e., $\vdash (e, h, f, k)$), then (e, h, f, k) is final (i.e., e is a value and k is an empty continuation ϵ), or there exists a transition $(e, h, f, k) \rightsquigarrow (e', h', f', k')$ for some (e', h', f', k') .*

Proof. We consider only the cases of memory errors; non-closed or ill-typed states in the ordinary type system are straightforwardly rejected by our memory-type system.

- **case** (**free** l **when** b, h, f, k) when $b \Leftrightarrow \text{true}$, $l \in f$, and $l \in \text{dom}(h)$: Assume for contradiction that $\vdash (\text{free } l \text{ when } b, h, f, k)$. By (STATE),

$$\vdash h : \Delta, \quad (36)$$

$$\Delta \vdash f : \mathcal{E}_0, \quad (37)$$

$$\Delta \vdash \text{free } l \text{ when } b : \exists \mathcal{V}. \sigma \ \& \ \mathcal{C} \text{ where } \sigma = (\mathcal{B}, \mu, L, \mathcal{E}), \text{ and} \quad (38)$$

$$\mathcal{B} \Rightarrow \mathcal{C} \wedge (\mathcal{E}_0 \# \mathcal{E}). \quad (39)$$

As we did when we prove Proposition 1, we can assume that (38) does not end with the structural rules; that is, by (FREE), $\mathcal{B} = \emptyset$, $\mathcal{E} = \{b \leftrightarrow L'\}$, and

$$\Delta \vdash l : \langle L', \mu_1, \mu_2 \rangle \& \mathcal{C}$$

for some μ_1 and μ_2 . By (ID), $\mathcal{C} \Rightarrow \Delta(l) \sqsubseteq \langle L', \mu_1, \mu_2 \rangle$. By (HEAP) and (36), $\Delta(l) = \langle X, \mu'_1, \mu'_2 \rangle$ for some X , μ'_1 , and μ'_2 . Since $\mathcal{B} = \emptyset$, $\mathcal{B} \Rightarrow \mathcal{C}$, $\mathcal{C} \Rightarrow X \sqsubseteq L'$, and $\mathcal{E} = \{b \leftrightarrow L'\}$, and $b \Leftrightarrow \text{true}$, we can conclude that (39) implies that $\mathcal{E}_0 \# \{\text{true} \leftrightarrow X\}$ holds. By (FREED) and (37), \mathcal{E}_0 has $\{\text{true} \leftrightarrow X\}$. Then our conclusion becomes $\{\text{true} \leftrightarrow X\} \# \{\text{true} \leftrightarrow X\}$ which does not hold.

- **case** (case l (Node $(x_1, x_2) \Rightarrow e_1$) (Leaf $\Rightarrow e_2$), h, f, k) when $l \in f$: Assume for contradiction that \vdash (case l (Node $(x_1, x_2) \Rightarrow e_1$) (Leaf $\Rightarrow e_2$), h, f, k). By (STATE),

$$\vdash h : \Delta, \tag{40}$$

$$\Delta \vdash f : \mathcal{E}_0, \tag{41}$$

$$\Delta \vdash \text{case } l \text{ (Node } (x_1, x_2) \Rightarrow e_1 \text{) (Leaf } \Rightarrow e_2 \text{)} : \exists \mathcal{V}. (\mathcal{B}, \mu, L, \mathcal{E}) \& \mathcal{C}, \tag{42}$$

$$\mathcal{B} \Rightarrow \mathcal{C} \wedge (\mathcal{E}_0 \# \{\text{true} \leftrightarrow L\}). \tag{43}$$

We can assume that (42) is derived by (NCASE); that is,

$$\Delta \vdash l : \langle L, \mu_1, \mu_2 \rangle$$

for some μ_1 and μ_2 . By (ID), $\mathcal{C} \Rightarrow \Delta(l) \sqsubseteq \langle L, \mu_1, \mu_2 \rangle$. By (HEAP) and (40), $\Delta(l) = \langle X, \mu'_1, \mu'_2 \rangle$ for some X , μ'_1 , and μ'_2 . Since $\mathcal{B} \Rightarrow \mathcal{C}$ and $\mathcal{C} \Rightarrow X \sqsubseteq L$, we can conclude that (43) implies that $\mathcal{B} \Rightarrow \mathcal{E}_0 \# \{\text{true} \leftrightarrow X\}$. By (FREED) and (41), \mathcal{E}_0 has $\{\text{true} \leftrightarrow X\}$. Then our conclusion becomes $\mathcal{B} \Rightarrow \{\text{true} \leftrightarrow X\} \# \{\text{true} \leftrightarrow X\}$; that is, $\mathcal{B} \Rightarrow X \# X$ which does not hold. \square

Theorem 1 (Memory-Type Soundness) *If a state (e, h, f, k) is well-typed in the memory-type system (i.e., $\vdash (e, h, f, k)$), then (e, h, f, k) does not go to a stuck state: $(e, h, f, k) \rightsquigarrow^* (v, h', f', e)$ for some v, h' , and f' , or a transition from (e, h, f, k) does not terminate.*

Proof. Assume for contradiction that (e_0, h_0, f_0, k_0) is well-typed in the memory-type system but it causes a memory error. Then we can prove that a faulty state can be well-typed, which conflicts with Proposition 2. Suppose that a transition from (e_0, h_0, f_0, k_0) to a faulty state (e_n, h_n, f_n, k_n) :

$$(e, h, f, k) \rightsquigarrow (e_1, h_1, f_1, k_1) \rightsquigarrow \cdots \rightsquigarrow (e_n, h_n, f_n, k_n).$$

We can prove every (e_i, h_i, f_i, k_i) is well-typed by induction on i .

- case $i = 0$: The assumption is that $\vdash (e_0, h_0, f_0, k_0)$.
- case $i > 0$: By induction hypothesis, $\vdash (e_{i-1}, h_{i-1}, f_{i-1}, k_{i-1})$. Since there exists a transition $(e_{i-1}, h_{i-1}, f_{i-1}, k_{i-1}) \rightsquigarrow (e_i, h_i, f_i, k_i)$, by Proposition 1,

$\vdash (e_i, h_i, f_i, k_i)$.

Therefore a well-typed state does not go to a stuck state. \square

5.3 Transformed Programs Are Well-Typed

Now we prove that programs transformed by our algorithm do not cause any memory error. The key propositions are two.

- Transformed expressions respect preservation constraints: our algorithm does not insert any memory-free command that violates preservation constraints (Proposition 3).
- Transformed expressions are well-typed: for each transformed expression, there is a corresponding judgment in the memory-type system which is based on the result of our analysis and transformation (Proposition 4).

In order to achieve the above two key propositions, we first prove for two sub-routines of the algorithm.

- One is `freeCond` in Fig. 5 which takes a bound \mathcal{B} , a preservation constraint \mathcal{E} , and a multiset formula L , and gives a safe condition to deallocate the heap cells in L without violating preservation constraint \mathcal{E} under bound \mathcal{B} (Lemma 5).
- The other is `reduce` which takes a bound \mathcal{B} and a multiset formula L and gives a multiset formula which is greater than or equal to L under bound \mathcal{B} (Lemma 6).

Lemma 5 *For a bound \mathcal{B} , a preservation constraint \mathcal{E} , and multiset formulas L , L_1 , and L_2 , when $\mathcal{C}_{\text{ns}} = (\beta_{\text{ns}} \Rightarrow \text{SET}(A))$, the followings are true:*

- (1) $(\mathcal{B} \wedge \mathcal{C}_{\text{ns}}) \Rightarrow (\text{noSharing}_{\mathcal{B}}(L) \Rightarrow \text{SET}(L))$;
- (2) $(\mathcal{B} \wedge \mathcal{C}_{\text{ns}}) \Rightarrow (\text{disjoint}_{\mathcal{B}}(L_1, L_2) \Rightarrow L_1 \# L_2)$; and
- (3) $(\mathcal{B} \wedge \mathcal{C}_{\text{ns}}) \Rightarrow (\{\text{freeCond}_{\mathcal{B}, \mathcal{E}}(L) \leftrightarrow L\} \# \mathcal{E})$.

Proof. The proof is in [22]. \square

Lemma 6 *For a bound \mathcal{B} and a multiset formula L , $\text{reduce}_{\mathcal{B}}(L)$ gives a multiset formula L_R in a reduced form such that $\mathcal{B} \Rightarrow L \sqsubseteq L_R$.*

Proof. The proof is in [22]. \square

Proposition 3 (Transformed Expressions Respect Constraints) *For a bound \mathcal{B} , a preservation constraint \mathcal{E} , a boolean value b , and an expression e , if e is transformed to e' by the algorithm (i.e., $\mathcal{B}, \mathcal{E}, b \triangleright e^{(\Delta, \mathcal{B}', \mu, L)} \Rightarrow e' : \mathcal{E}'$), then $(\mathcal{B} \wedge \mathcal{C}_{\text{ns}}) \Rightarrow \mathcal{E}' \# \mathcal{E}$ holds where $\mathcal{C}_{\text{ns}} = \beta_{\text{ns}} \Rightarrow \text{SET}(A)$.*

Proof. We prove it by induction on the number of calls:

- **case (I-VALUE and I-NOF):** $\mathcal{E}' = \emptyset$.
- **case (I-FREE):** Since $b' = \text{freeCond}_{\mathcal{B}, \mathcal{E}''}(L)$ where $\mathcal{E}'' = \mathcal{E} \cup \{b \hookrightarrow \text{collapse}(\mu)\}$, by Lemma 5, $\mathcal{B} \wedge \mathcal{C}_{\text{ns}} \Rightarrow \{b' \hookrightarrow L\} \# \mathcal{E}''$. Therefore $\mathcal{B} \wedge \mathcal{C}_{\text{ns}} \Rightarrow \{b' \hookrightarrow L\} \# \mathcal{E}$ also hold.
- **case (I-CASE):** By induction hypothesis, $\mathcal{B} \wedge \mathcal{C}_{\text{ns}} \Rightarrow \mathcal{E}_i \# \mathcal{E}$ for $i = 1$ or 2 . Then by definition, $\mathcal{B} \wedge \mathcal{C}_{\text{ns}} \Rightarrow (\mathcal{E}_1 \cup \mathcal{E}_2) \# \mathcal{E}$ also holds.
- **case (I-LET):** By induction, $\mathcal{B} \wedge \mathcal{C}_{\text{ns}} \Rightarrow \mathcal{E}_1 \# (\mathcal{E} \cup \{\text{true} \hookrightarrow L, b \hookrightarrow \text{collapse}(\mu)\})$ and $\mathcal{B} \wedge \mathcal{C}_{\text{ns}} \Rightarrow \mathcal{E}_2 \# (\mathcal{E} \cup \mathcal{E}_1)$; that is, $\mathcal{B} \wedge \mathcal{C}_{\text{ns}} \Rightarrow \mathcal{E}_i \# \mathcal{E}$ for $i = 1$ or 2 . Then by definition, $\mathcal{B} \wedge \mathcal{C}_{\text{ns}} \Rightarrow (\mathcal{E}_1 \cup \mathcal{E}_2) \# \mathcal{E}$ holds.
- **case (I-APP):** By Lemma 5, $\mathcal{B} \wedge \mathcal{C}_{\text{ns}} \Rightarrow \{b' \hookrightarrow L \setminus R\} \# \mathcal{E}$. \square

Our analysis and transformation system always gives well-typed programs in our memory-type system. That is, for each transformed expression, there is a corresponding judgment in the memory-type system which is based on the result of our analysis and transformation.

Proposition 4 (Transformed Expressions Are Well-Typed) *The followings are true:*

- (1) *For a value v , if the algorithm transform v to v' (i.e., $\triangleright v^{(\Delta, \mu)} \Rightarrow v'$), then $\Delta \vdash v : \mu \ \& \ \text{true}$ holds.*
- (2) *For a bound \mathcal{B}_0 , a preservation constraint \mathcal{E}_0 , a boolean value b , and an expression e , if the algorithm transform e to e' (i.e., $\mathcal{B}_0, \mathcal{E}_0, b \triangleright e^{(\Delta, \mathcal{B}, \mu, L)} \Rightarrow e' : \mathcal{E}$), when \mathcal{V} is a set of fresh names introduced during the analysis phase (i.e., $\Delta \triangleright e : \mathcal{B}, \mu, L$),*
 - (a) *when $b = \text{false}$, there exists \mathcal{C} such that $(\mathcal{B}_0 \wedge \mathcal{C}_{\text{ns}}) \Rightarrow \mathcal{C}$ and*

$$\mathcal{T}(\Delta) \vdash e' : \exists \mathcal{V}. (\mathcal{B}, \mathcal{T}(\mu), L, \mathcal{E}) \ \& \ \mathcal{C}; \text{ and}$$

- (b) *when $b = \text{true}$, there exists fresh R and \mathcal{C} such that $(\mathcal{B}_0 \wedge \mathcal{C}_{\text{ns}}) \Rightarrow \mathcal{C}$ and*

$$\mathcal{T}(\Delta) \vdash e' : \exists \mathcal{V}. (\mathcal{B} \cup \{R \mapsto \text{collapse}(\mu)\}, R, L, \mathcal{E}') \ \& \ \mathcal{C}$$

$$\text{where } \mathcal{E}' = (\mathcal{E} \setminus R) \cup \{\text{true} \hookrightarrow (\bigsqcup_{X \in \mathcal{V}} X) \setminus R\}$$

$$\text{and } \mathcal{E} \setminus R \triangleq \{b \hookrightarrow L \setminus R \mid (b \hookrightarrow L) \in \mathcal{E}\}.$$

Proof. In proof, we do not explicitly put the translation function \mathcal{T} because it is clear from the context where \mathcal{T} should appear.

- **case (I-FUN/U-FUN):** The assumption is that $\triangleright (\text{fix } y \ \lambda x. e)^{(\Delta, \mu)} \Rightarrow (\text{fix } y \ \lambda x. e')$ is derived by (I-FUN) and the last step of (U-FUN); that is,

$$\mu = \forall A. A \rightarrow \exists X. (L_1, L_2) \text{ and} \tag{44}$$

$$\mathcal{B}, \{\neg\beta \leftrightarrow A\}, \text{true} \triangleright e^{\{f \mapsto \mu, x \mapsto A\}, \mathcal{B}, \mu', L} \Rightarrow e' : \mathcal{E} \quad (45)$$

where $L' = \text{collapse}(\mu')$, $L_1 = \mathcal{S}(\text{reduce}_{\mathcal{B}}(L'))$, $L_2 = \mathcal{S}(\text{reduce}_{\mathcal{B}}(L))$, $\mathcal{S} = \{X/X_1, \dots, X/X_n\}$, and X_i s are new X s in \mathcal{V} . By induction hypothesis, (45) implies that there exists \mathcal{C} such that

$$\begin{aligned} \{f \mapsto \mu, x \mapsto A\} \vdash e' : \exists \mathcal{V} \cup \{R\}. \\ \left(\mathcal{B} \cup \{R \mapsto L'\}, R, L, (\mathcal{E} \setminus R) \cup \{\text{true} \leftrightarrow (\dot{\sqcup}_i X_i) \setminus R\} \right) \&\mathcal{C} \end{aligned} \quad (46)$$

$$\mathcal{B} \wedge \mathcal{C}_{\text{ns}} \Rightarrow \mathcal{C} \quad (47)$$

By Lemma 6,

$$\mathcal{B} \Rightarrow (L' \sqsubseteq \text{reduce}_{\mathcal{B}}(L')) \wedge (L \sqsubseteq \text{reduce}_{\mathcal{B}}(L)). \quad (48)$$

Note that these reduced forms consist of only A and X_i s in \mathcal{V} . For a reduced form L , when $\mathcal{S}' = \{(\dot{\sqcup}_i X_i)/X\}$, we have $L \sqsubseteq \mathcal{S}'(\mathcal{S}L)$ because $\mathcal{S}'\mathcal{S} = \{(\dot{\sqcup}_i X_i)/X_1, \dots, (\dot{\sqcup}_i X_i)/X_n\}$. Then (48) implies that

$$\mathcal{B} \Rightarrow (L' \sqsubseteq \mathcal{S}'L_1) \wedge (L \sqsubseteq \mathcal{S}'L_2). \quad (49)$$

By Proposition 3, (45) implies that $\mathcal{B} \wedge \mathcal{C}_{\text{ns}} \Rightarrow \mathcal{E} \# \{\neg\beta \leftrightarrow A\}$, and

$$\mathcal{E} \# \{\neg\beta \leftrightarrow A\} \Rightarrow \mathcal{E} \sqsubseteq (\mathcal{E} \setminus A) \cup \{\beta \leftrightarrow A\}$$

because

- when $\beta = \text{false}$, $\mathcal{E} \# \{A\} \Rightarrow \mathcal{E} = \mathcal{E} \setminus A$, and
- when $\beta = \text{true}$, $\text{true} \Rightarrow \mathcal{E} \sqsubseteq (\mathcal{E} \setminus A) \cup \{\text{true} \leftrightarrow A\}$.

Then

$$\mathcal{E} \setminus R \sqsubseteq ((\mathcal{E} \setminus A) \setminus R) \cup \{\beta \leftrightarrow A \setminus R\}. \quad (50)$$

Moreover, $\mathcal{E} \sqsubseteq \{\text{true} \leftrightarrow \dot{\sqcup} \text{free}(\mathcal{E})\}$ and by Lemma 6,

$$\mathcal{B} \Rightarrow \dot{\sqcup} \text{free}(\mathcal{E}) \sqsubseteq_{\text{set}} \text{reduce}_{\mathcal{B}}(\dot{\sqcup} \text{free}(\mathcal{E})).$$

Since the reduced form consists of A or new X_i s in \mathcal{V} ,

$$\text{reduce}_{\mathcal{B}}(\dot{\sqcup} \text{free}(\mathcal{E})) \sqsubseteq_{\text{set}} A \dot{\sqcup} (\dot{\sqcup}_{X_i \in \mathcal{V}} X_i).$$

Then (50) implies that

$$\begin{aligned} \mathcal{B} \Rightarrow \mathcal{E} \setminus R \sqsubseteq \left\{ \text{true} \leftrightarrow ((A \dot{\sqcup} (\dot{\sqcup}_{X_i \in \mathcal{V}} X_i)) \setminus A) \setminus R, \beta \leftrightarrow A \setminus R \right\} \\ = \mathcal{S}' \left\{ \text{true} \leftrightarrow X \setminus R, \beta \leftrightarrow A \setminus R \right\} \end{aligned} \quad (51)$$

because $A \# X_i$. Then by (WEAK), (46), (47), (49), and (51) implies that

$$\begin{aligned} \{f \mapsto \mu, x \mapsto A\} \vdash e' : \exists \mathcal{V} \cup \{R\}. \\ \left(\mathcal{B} \cup \{R \mapsto \mathcal{S}'L_1\}, R, \mathcal{S}'L_2, \mathcal{S}' \left\{ \text{true} \leftrightarrow X \setminus R, \beta \leftrightarrow A \setminus R \right\} \right) \&\mathcal{C}_{\text{ns}} \end{aligned}$$

By (MERGE),

$$\{f \mapsto \mu, x \mapsto A\} \vdash e' : \exists \text{dom}(\mathcal{B}) \cup \{X, R\}. \\ (\mathcal{B} \cup \{R \sqsubseteq L_1\}, R, L_2, \{\text{true} \hookrightarrow X \setminus R, \beta \hookrightarrow A \setminus R\}) \& \mathcal{C}_{\text{ns}}$$

Since the result part has only free names A , X , and R , by (WEAK),

$$\{f \mapsto \mu, x \mapsto A\} \vdash e' : \\ \exists \{X, R\}. (\{R \mapsto L_1\}, R, L_2, \{\text{true} \hookrightarrow X \setminus R, \beta \hookrightarrow A \setminus R\}) \& \mathcal{C}_{\text{ns}}$$

By (FUN) and the definition of \mathcal{T} in page 21, $\Delta \vdash \text{fix } f \lambda x. e' : \mathcal{T}(\mu)$.

- **case (I-FREE/U-NODE):** The assumption is that when $e = \text{free } x \text{ when } b'$; $\text{Node}(v'_1, v'_2)$ which is $\text{let } y = \text{free } x \text{ when } b'$ in $\text{Node}(v'_1, v'_2)$ for some fresh y ,

$$\mathcal{B}_0, \mathcal{E}_0, b \triangleright \text{Node}(v_1, v_2)^{(\Delta, \emptyset, \mu, \emptyset)} \Rightarrow e : \{b' \hookrightarrow L\}$$

where $\mu = \langle X, \mu_1, \mu_2 \rangle$ is derived by (I-FREE) and (U-NODE); that is,

$$b' = \text{freeCond}_{\mathcal{B}_0, \mathcal{E}'_0}(L), \quad (52)$$

$$\mathcal{E}'_0 = \mathcal{E}_0 \cup \{b \hookrightarrow \text{collapse}(\mu)\}, \quad (53)$$

$$\Delta(x) = \langle L, \mu'_1, \mu'_2 \rangle \text{ for some } \mu'_1 \text{ and } \mu'_2, \text{ and} \quad (54)$$

$$\triangleright v_i^{(\Delta, \mu_i)} \Rightarrow v'_i. \quad (55)$$

By induction hypothesis, (55) implies that $\Delta \vdash v'_i : \mu_i \& \text{true}$. By (NODE),

$$\Delta \vdash \text{Node}(v'_1, v'_2) : \exists \{X\}. (\emptyset, \mu, \emptyset, \emptyset) \& \text{true}.$$

Since y is fresh, by Lemma 4,

$$\Delta \cup \{y \mapsto \emptyset\} \vdash \text{Node}(v'_1, v'_2) : \exists \{X\}. (\emptyset, \mu, \emptyset, \emptyset) \& \text{true}. \quad (56)$$

Since $\Delta(x) = \langle L, \mu'_1, \mu'_2 \rangle$, by (ID), $\Delta \vdash x : \langle L, \mu'_1, \mu'_2 \rangle \& \text{true}$. By (FREE),

$$\Delta \vdash \text{free } x \text{ when } b' : \exists \emptyset. (\emptyset, \emptyset, \emptyset, \{b' \hookrightarrow L\}) \& \text{true}. \quad (57)$$

By (LET), (56) and (57) implies that

$$\Delta \vdash e : \exists \{X\}. (\emptyset, \mu, \emptyset, \{b' \hookrightarrow L\}) \& \text{true} \quad (58)$$

which proves for $b = \text{false}$.

Now we prove for $b = \text{true}$ with $\mathcal{C} = (b' \Rightarrow L \# \text{collapse}(\mu))$. Since $\mathcal{C} \Rightarrow \{b' \hookrightarrow L\} \sqsubseteq_{\text{set}} \{b' \hookrightarrow L \setminus \text{collapse}(\mu)\}$ and $\mu \sqsubseteq \text{collapse}(\mu)$, by (WEAK), (58) implies that

$$\Delta \vdash e : \exists \{X\}. (\emptyset, \text{collapse}(\mu), \emptyset, \{b' \hookrightarrow L \setminus \text{collapse}(\mu)\}) \& \mathcal{C}.$$

By (RINT),

$$\Delta \vdash e : \exists\{X, R\}. (\{R \mapsto \text{collapse}(\mu)\}, R, \emptyset, \{b' \hookrightarrow L \setminus R\}) \& \mathcal{C}.$$

By Lemma 5, (52) implies that $\mathcal{B}_0 \wedge \mathcal{C}_{\text{ns}} \Rightarrow \{b' \hookrightarrow L\} \# \mathcal{E}'_0$. Since \mathcal{E}'_0 includes $(b \hookrightarrow \text{collapse}(\mu))$ and $b = \text{true}$, $\mathcal{B}_0 \wedge \mathcal{C}_{\text{ns}} \Rightarrow \mathcal{C}$.

The proofs of other cases are in [22]. \square

Theorem 2 (Algorithm Correctness) *For every well-typed closed expression e , when e is transformed to e' by the memory-usage analysis $(\emptyset \triangleright e : \mathcal{B}, \mu, L)$ and the free-insertion algorithm $(\mathcal{B}, \emptyset, \text{false} \triangleright e^{(\emptyset, \mathcal{B}, \mu, L)} \Rightarrow e' : \mathcal{E})$, then expression e' does not cause a memory error.*

Proof. By Proposition 4, $\emptyset \vdash e' : \exists \mathcal{V}. (\mathcal{B}, \mu, L, \mathcal{E}) \& \mathcal{C}_{\text{ns}}$ for some \mathcal{V} . By Lemma 2, we can apply substitution $\mathcal{S} = \{\emptyset/A\}$ to the judgment. As a result,

$$\emptyset \vdash e' : \exists \mathcal{V}. (\mathcal{S}\mathcal{B}, \mathcal{S}\mu, \mathcal{S}L, \mathcal{S}\mathcal{E}) \& \text{true}.$$

By (HEAP), $\vdash \emptyset : \emptyset$. By (FREED), $\emptyset \vdash \emptyset : \emptyset$. By (NIL), $\{\bullet \mapsto \mu\} \vdash \epsilon : \exists \emptyset. (\emptyset, \emptyset, \emptyset, \emptyset) \& \text{true}$. Therefore by (STATE), $\vdash (e', \emptyset, \emptyset, \epsilon)$. Then by Theorem 1, $(e', \emptyset, \emptyset, \epsilon)$ does not go to a stuck state. \square


6 Experiments

We experimented the insertion algorithm with ML benchmark programs which use various data types such as lists, trees, and abstract syntax trees:

program	lines	description
sieve	18	prime number computation (size=10000)
qsort	24	quick sort (size=10000)
merge	30	merging two ordered integer lists (size=10000)
msort	61	merge sort (size=10000)
queens	66	solving eight queen problem
mirage	141	an interpreter for a tiny non-deterministic programming language
life	169	“life” from the SML/NJ [23] benchmark suite (loop=50)
kb	557	“knuth-bendix” from the SML/NJ [23] benchmark suite
k-eval	645	an interpreter for a tiny imperative programming language
nucleic	3230	“nucleic” from the SML/NJ [23] benchmark suite

We first pre-processed benchmark programs to monomorphic and closure-converted [24] programs, and then applied the algorithm to the pre-processed programs.

program	lines	(1) total ^a	(2) reuse ^a	(2)/(1)	cost(s ^b)
sieve	18	161112	131040	81.3%	0.004
qsort	24	675925	617412	91.3%	0.007
merge	30	120012	59997	50.0%	0.007
msort	61	440433	390429	88.7%	0.019
queens	66	118224	6168	5.2%	0.017
mirage	141	208914	176214	84.4%	0.114
life	169	84483	8961	10.6%	0.113
kb	557	2747397	235596	8.6%	0.850
k-eval	645	271591	161607	59.5%	1.564
nucleic	3230	1616487	294067	18.2%	3.893



^a words: the amount of total allocated heap cells and reused heap cells by our transformation

^b seconds: our analysis and transformation system is compiled by the Objective Caml 3.04 native compiler [25], and executed in Sun Sparc 400Mhz, Solaris 2.7

Fig. 14. Analysis cost and reuse ratio.

We extended the presented algorithm to analyze and transform programs with more features. (1) Our implementation supports more data constructors than just `Leaf` and `Node`. It analyzes heap cells with different constructors separately, and it inserts twice as many dynamic flags as the number of constructors for each parameter. (2) For functions with several parameters, we made the dynamic flag β also keep the alias information between function parameters so that if two parameters share some heap cells, both of their dynamic flags β are turned off. (3) For higher-order cases, we simply assumed the worst memory-types for the argument functions. For instance, we just assumed that an argument function, whose type is `tree` \rightarrow `tree`, has memory-type $\forall A.A \rightarrow \exists X.(L, L)$ where $L = (A \dot{\oplus} A) \dot{\sqcup} (X \dot{\oplus} X)$. (4) When we have multiple candidate cells for deallocation, we chose one whose guard is weaker than the others. For incomparable guards, we arbitrarily chose one.

The experimental results are shown in Fig. 14. Our analysis and transformation system achieves the memory reuse ratio (the fifth column) of 5.2% to 91.3%. In the table of Fig. 14, the second column is the number of lines, the third column is the amount of heap cells allocated during the execution of the original programs, the fourth the amount of heap cells reused during the execution of the transformed programs, the fifth its ratio, and the sixth the cost of our analysis and transformation. For the two cases whose reuse ratio is low (`queens` and `kb`), we found that they have a number of data structures that are shared. The `kb` program heavily uses a term-substitution function that can return a shared structure, where the number of shares depends on an argument value (e.g. a substitution item e/x has every x in the target term share e). Other than such cases, our experimental results are encouraging in terms of accuracy and cost. The graph in Fig. 14 indicates that the analysis and transformation cost can be less than square in the program size in practice

program	reuse ratio	(A) memory peak ^a	(B) reduced peak	$(A - B)/A$
sieve (size=1000)	56.0%	690	300	56.5%
qsort (size=100)	81.0%	1189	334	71.9%
merge (size=500)	49.4%	1197	606	49.4%
msort (size=100)	82.5%	714	321	55.0%
queens (n=5)	8.3%	255	255	0.0%
mirage	84.4%	1398	1361	2.6%
life (loop=5)	10.6%	2346	1746	25.6%
kb (group rule)	12.7%	27125	26501	2.3%
k-eval	59.5%	1044	944	9.6%
nucleic	18.2%	103677	89352	13.8%

^a words: the maximum number of live cells. It is profiled by our interpreter which has the same memory layout as that of Objective Caml 3.04 compiler [25]. (A) is for the original program and (B) is for the program transformed by our algorithm.

Fig. 15. The memory peak is reduced.

although the worst-case complexity is exponential.

Our transformation reduces the memory peak from 0.0% to 71.9% (Fig. 15). The memory peak is the maximum number of live cells during the program execution. In Fig. 15, the second column is the reuse ratio, the third is the memory peak of the original programs, the fourth the memory peak of the transformed programs, and the fifth how much the memory peak is reduced by our transformation. For **sieve**, **merge**, **qsort**, and **msort**, both reuse ratios and peak reductions are high. For **queens** and **kb**, both reuse ratios and peak reductions are low. But for **life** and **mirage**, reuse ratios and peak reductions do not match. For **mirage**, its reuse ratio is high (84.4%) whereas its peak reduction is low (2.6%). This is because, as seen in the graph (f) of Fig. 16, the transformed **mirage** fails to reduce several peaks in the second phase. For **life**, the situation is reversed. This is because, as seen in the graph (e) of Fig. 16, it always reuses only those cells that contribute to the memory peak.

7 Conclusion and Future Work

We have presented a static analysis and a source-level transformation system that add explicit memory-reuse commands into the program text, and we have shown that it effectively finds memory-reuse points.

We are currently implementing the analysis and transformation system inside our nML compiler [26] to have it used in daily programming. The main issues in the implementation are to reduce the runtime overhead of the dynamic flags and to extend our method to handle polymorphism and mutable data




Fig. 16. The numbers of live memory cells from start to the end. The upper dotted lines are the original program’s and the lower solid lines are those of the programs transformed by our algorithm.

structures. The runtime overhead of dynamic flags can be substantial because, for instance, if a function takes n parameters and each parameter’s type has k data constructors, the function has to take $2 \times n \times k$ dynamic flags according to the current scheme. We are considering to reduce this overhead by doing a constant propagation for dynamic flags; omitting some unnecessary flags; associating a single flag with several data constructors of the same size; implementing flags by bit-vectors; and duplicating a function according to the different values of flags.

To extend our method for polymorphism, we need a sophisticated mechanism for dynamic flags. For instance, a polymorphic function of type $\forall\alpha. \alpha \rightarrow \alpha$




Fig. 17. The numbers of live memory cells from start to the end. The upper dotted lines are the original program’s and the lower solid lines are those of the programs transformed by our algorithm.

can take a value with two constructors or one with three constructors. So, this polymorphic input parameter does not fit in the current method because currently we insert twice as many dynamic flags as the number of constructors for each parameter. Our tentative solution is to assign only two flags to the input parameter of type α and to take conjunctions of flags in a call site: when a function is called with an input value with two constructors, instead of passing the four dynamic flags β , β_{ns} , β' , and β'_{ns} , we pass $\beta \wedge \beta'$ and $\beta_{\text{ns}} \wedge \beta'_{\text{ns}}$. For mutable data structures, we plan to take a conservative approach similar to that of Gheorghioiu *et al.* [27]: heap cells possibly reachable from modifiable cells cannot be reused.

Acknowledgment We thank anonymous referees and colleagues for comments and suggestions that had helped improve our paper.

References

- [1] P. Wadler, Linear types can change the world!, in: M. Broy, C. Jones (Eds.), Programming Concepts and Methods, North Holland, Sea of Galilee, Israel, 1990.

- [2] D. N. Turner, P. Wadler, C. Mossin, Once upon a type, in: Proceedings of the International Conference on Functional Programming and Computer Architecture, 1995, pp. 25–28.
- [3] E. Barendsen, S. Smetsers, Uniqueness typing for functional languages with graph rewriting semantics, *Mathematical Structures in Computer Science* 6 (1995) 579–612.
- [4] N. Kobayashi, Quasi-linear types, in: Proceedings of the ACM Symposium on Principles of Programming Languages, 1999, pp. 29–42.
- [5] D. Aspinall, M. Hofmann, Another type system for in-place update, in: Proceedings of the European Symposium on Programming, Vol. 2305 of Lecture Notes in Computer Science, 2002, pp. 36–52.
- [6] S. Ishtiaq, P. O’Hearn, BI as an assertion language for mutable data structures, in: Proceedings of the ACM Symposium on Principles of Programming Languages, 2001.
- [7] P. O’Hearn, J. C. Reynolds, H. Yang, Local reasoning about programs that alter data structures, in: Proceedings of the Annual Conference of the European Association for Computer Science Logic, 2001, pp. 1–19.
- [8] J. C. Reynolds, Separation logic: A logic for shared mutable data structures, in: Proceedings of the IEEE Symposium on Logic in Computer Science, 2002.
- [9] F. Smith, D. Walker, G. Morrisett, Alias types, in: Proceedings of the European Symposium on Programming, Vol. 1782 of Lecture Notes in Computer Science, 2000, pp. 366–382.
- [10] D. Walker, G. Morrisett, Alias types for recursive data structures, in: Proceedings of the Workshop on Types in Compilation, Vol. 2071 of Lecture Notes in Computer Science, 2000, pp. 177–206.
- [11] M. Tofte, J.-P. Talpin, Implementation of the typed call-by-value λ -calculus using a stack of regions, in: Proceedings of the ACM Symposium on Principles of Programming Languages, 1994, pp. 188–201.
- [12] M. Tofte, J.-P. Talpin, Region-based memory management, *Information and Computation* 132 (2) (1997) 109–176.
- [13] K. Crary, D. Walker, G. Morrisett, Typed memory management in a calculus of capabilities, in: Proceedings of the ACM Symposium on Principles of Programming Languages, 1999, pp. 262–275.
- [14] D. Gay, A. Aiken, Language support for regions, in: Proceedings of the ACM Conference on Programming Language Design and Implementation, 2001, pp. 70–80.
- [15] D. Grossman, G. Morrisett, T. Jim, M. Hicks, Y. Wang, J. Cheney, Region-based memory management in Cyclone, in: Proceedings of the ACM Conference on Programming Language Design and Implementation, 2002, pp. 282–293.

- [16] M. Tofte, L. Birkedal, A region inference algorithm, *ACM Transactions on Programming Languages and Systems* 20 (4) (1998) 734–767.
- [17] M. Tofte, L. Birkedal, M. Elsmann, N. Hallenberg, T. H. Olesen, P. Sestoft, Programming with regions in the ML Kit (for version 4), IT University of Copenhagen, <http://www.it-c.dk/research/mlkit> (Apr. 2002).
- [18] B. Blanchet, Escape analysis: Correctness proof, implementation and experimental results, in: *Proceedings of the ACM Symposium on Principles of Programming Languages*, 1998, pp. 25–37.
- [19] W. L. Harrison III, The interprocedural analysis and automatic parallelization of scheme programs, *Lisp and Symbolic Computation* 2 (3/4) (1989) 179–396.
- [20] M. Mohnen, Efficient compile-time garbage collection for arbitrary data structures, in: *Proceedings of Programming Languages: Implementations, Logics and Programs*, Vol. 982 of *Lecture Notes in Computer Science*, Springer-Verlag, 1995, pp. 241–258.
- [21] A. K. Wright, M. Felleisen, A syntactic approach to type soundness, *Information and Computation* 115 (1) (1994) 38–94.
- [22] O. Lee, H. Yang, K. Yi, Correctness proof on an algorithm to insert memory reuse commands into ML-like programs, Technical Memorandum ROPAS-2003-19, Programming Research Laboratory, School of Computer Science & Engineering, Seoul National University, <http://ropas.snu.ac.kr/memo> (Nov. 2003).
- [23] The Standard ML of New Jersey, version 110.0.7, Bell Laboratories, Lucent Technologies, <http://cm.bell-labs.com/cm/cs/what/smlnj> (Oct. 2000).
- [24] Y. Minamide, G. Morrisett, R. Harper, Typed closure conversion, in: *Proceedings of the ACM Symposium on Principles of Programming Languages*, 1996, pp. 271–283.
- [25] X. Leroy, D. Doligez, J. Garrigue, D. Rémy, J. Vouillon, The Objective Caml system release 3.06, Institut National de Recherche en Informatique et en Automatique, <http://caml.inria.fr> (Aug. 2002).
- [26] nML programming language system, version 0.92b, Research On Program Analysis System, Seoul National University, <http://ropas.snu.ac.kr/n> (Apr. 2004).
- [27] O. Gheorghioiu, A. Sălcianu, M. Rinard, Interprocedural compatibility analysis for static object preallocation, in: *Proceedings of the ACM Symposium on Principles of Programming Languages*, 2003, pp. 273–284.